SUBARU-FAST2

Version A and Version B Installation and Operation Manual

LH, RH

Revised in January, 2013
Chapter 8.Appendix
List for models included in the three versions,
January 2013 issue P.83
Revised in November, 2012
Chapter 8. Appendix
List for models included in the three versions,
November 2012 issue P.83
Revised in May, 2012
Chapter 8. Appendix
List for models included in the three versions,
May 2012 issue P.83
Revised in March, 2012
Chapter 8. Appendix
List for models included in the three versions,
March 2012 issue P.83
January 2013

January 2013 FUJI HEAVY INDUSTRIES LTD.

Contents

Chapter 1. How to use the Version A-1, A-2 and Version B in CD-ROMs — P
Chapter 2. Installation P
Chapter 3. CD-ROM copy tool usage manual P
Chapter 4. SUBARU-FAST2 Setup P
Chapter 5. Outline of SUBARU-FAST2 P
Chapter 6. Basic Operations P
1. How to begin the SUBARU-FAST2 P
2. Identification of models (using Vin-code input) — P
3. Selecting parts (from illustrations) — P
4. To retrieve part numbers — P
5. Retrieval of (interchangeable) part numbers — P
6. Confirmation of the grand total price P
7. Printing the retrieval results (Printing the estimate) — P
8. Saving the retrieval results as data — P
9. Opening the saved data — P
10. Closing of SUBARU-FAST2 P
Chapter 7. Descriptions for windows in SUBARU-FAST2 P
1. Retrieve parts number window — P
2. Illustration select — P
3. Illustration — P
4. Enter FIG group — P
5. Damage Assignment P
6. Illustration select (Damage Assignment) — P
7. Maintenance Service Part List — P
8. Part Code selection — P
9. Part Name selection — P
10. FIG number selection — P
11. Part Number selection — P
12. ITCA Part Number selection P
13. Estimate — P
14. Print — P
Chapter 8. Appendix P
1. To perform program update — P
2. Price display for SUBARU-FAST2 P
3. To Retrieve interchangeable part numbers using part number — P
4. Automatic Quantity indication — P
5. To attach Memos and access to the data P
6. UOE output format (Order data output format) — P
7. E-mail transmission for estimate — P
8. To add your "Logotype" to estimates P
9. To retrieve model codes P
10. Messages in option languages for SUBARU-FAST2 — P
11. List for models included in the three versions, the January 2013 issue — P

Chapter 1. How to use the Version A-1, A-2 and the Version B in CD-ROMs.

Key Highlights in the Version A-1, A-2 and the Version B

Starting with the version of the November 2008 issue, the CD-ROM of the SUBARU-FAST2 has been split up into three different media packages, i.e. the <u>Version A-1, A-2</u> and <u>B</u>.

1. Key Highlights in the Version A-1, A-2 and the Version B

Version A-1, A-2:

- Users can narrow down a singled out part when retrieve parts data specified in illustrations. (Refer to page 19 for details)
- Color Name, Trim Color Name and Destination code can be retrieved through Vin-code.

(Refer to page 16 for details)

The models listed in the previous SUBARU-FAST2 Version A has been divided and recorded separately in the Version A-1 and A-2.

- The Version A-1 will be issued at regular intervals. The Version A-2 only includes data for discontinued models (archived data) and the next issuing date of this version is unconfirmed.
- Features and usages for the two versions are identical with the previous Version A.
- Version B: This version completely includes the same features as the version which is not divided into the three versions and also the two versions does.
 - * <u>Users must beware that windows and usability for the Version A-1/A-2 and the Version B</u> may have inconsistencies because they have different features.

2. Contents in the Version A-1 , A-2 and B

The Version A-1 includes data for currently and recently produced models. The Version A-2 includes data for relatively older models. The Version B includes data for yet older models. For further details of listed models for each version, see the list for models for the July 2010 Version A-1, A-2, and B on page 83.

As new models will be added to the Version A-1, when data volume exceeds its given capacity, data for certain models will be transferred from the Version A-1 to the A-2. In this case, you will be informed by a SUBARU-FAST2 News.

3. Hardware / Operating system requirements for the Version A-1 , A-2 and the Version B

Operating system : Windows95 or later.

(The Version A-1, A-2, and the Version B also cannot be used with MS-DOS and Windows3.1.) Display : SVGA mode of 800x600 dots/256 color is required.

(The Version A-1, A-2, and the Version B also cannot be used with VGA mode of 640x480 dots.) Printer : Your printer must be recognized by relevant Operating system.

How to use the Version A-1, A-2 and B

1. If your system has free storage space available more than 1GB (1000MB) on hard disk

Copy the Version A-2 (older models archived version) and B (older models archived version) into the computer's hard disk, then use the Version A-1 on the CD-ROM drive (recommended).

Vehicles selection between the Version A-1, A-2 and B will be automatically implemented by system on user's inputs of vehicle data.

2. <u>If your system does not have free storage space available more than 1GB (1000MB) (or does not allow a copy operation) on hard disk</u>

Use the application alternatively slotting relevant CD-ROMs into the CD-ROM drive.

- * In order to refer to the free storage space on your hard disk, double-click the "My Computer" icon Click the " (c:) " to refer to free storage space on your hard disk.
- * Using our CD-ROM copy tool help you to copy contents in CD-ROMs into your hard disk.
 Refer to "CD-ROM copy tool usage manual" on page 9 11 for further detail.

Operation flow

1. To use CD ROMs for the first time

	Installation	page 3 - 8
2)	Copy operation of relivant CD-R	COM data into hard
i i	disk	page 9 - 11
1	\downarrow	
3)	Setup	page 12 - 13
ł	\downarrow	
4)	Retrieve Parts Number	page 15 - 31
<u> </u>		

Your saved data remains undeleted, regardless of the program installation.

*The shortcut icon for SUBARU-FAST2 you have created on such as "Desktop" could not be used at this time. You must recreate a shortcut icon for the program to use.

2. To use the updated CD-ROM after installation of the application


disk t	
ulsk l	page 9 - 11
(The operation does not need to be applied	ed when
alternatively slotting the CD-ROMs)	
\downarrow	i
2) Implement Program update p	age 50
\downarrow	
3) Retrieve Parts Number pa	nge 15 - 31

Chapter 2. Installation

Confirm user's environment before installation.

Operating system	: Windows95 or later.
	(SUBARU-FAST2 can't be used with MS-DOS and Windows3.1.)
	*Administrator privilege are required to install and update under NT4.0,
	Windows 2000 and Windows XP.
Display	: SVGA mode of 800x600 dots/256 color is required.
	(SUBARU-FAST2 can't be used with VGA mode of 640x480 dots.)
Printer	: Your printer must be recognized by relevant Operating system.

- (1) Insert "SUBARU-FAST2, Version A-1" CD-ROM into relevant CD-ROM Drive.
- (2) Double-click the [My Computer].



(3) Double click the CD drive containing the CD-ROM (SUBARU-FAST2, Version A-1" CD-ROM).




* Be sure to check the drive letter of your PC's CD-ROM drive.


(4) Double-click the [Sffastpg].

🕑 D:\			_	
<u> </u>	<u>V</u> iew F <u>a</u> vor	rites <u>T</u> ools	<u>H</u> elp	2
Back -	• 🕣 - 💋	🦻 🔎 Sean	ch	>>
Address 💽	D:\		-	Go
jiko	sffastpg	S fsort	D subarue	×
Cdinf.ini	💼 complogo.jpg	fignodt.txt	itca_data	Double-click
sffastlh	SFFASTRH	SFMESSDT	source_da	it
SOURCE_D	tekiolh.txt	TEKIORH.TXT	-	


(5) Double-click the [Win].




(6) Double-click the [Setup.exe].




(7) Specify language preference. Then click the [OK].



(8) Click the [Next].




(9) Click the [Next].




(10) After reading the messages, choose yes or no; then, click the [Next].

🚇 Backup Replaced File	200	
	This installation program can create backup copies of all files replaced during the installation. These files will be used when the software is uninstalled and a rollback is requested. If backup copies are not created, you will only be able to uninstall the software and not roll the system back to a previous state. Do you want to create backups of the replaced files?	
\$. \$	C Yes	1. Your choice
	Please select the directory where the replaced files will be copied.	2.Click
	Backup File Destination Directory C:\SUBARUEX2\BACKUP Browse	
	< Back Next > Cancel	

(11) Click the [Next].



(12) Click the [Next].



(13) Installation starts.

Installing	K
	Current File Copying file: C\\SYSTEM\MSVCRT.DLL
	All Files Time Remaining 0 minutes 14 seconds
	< <u>B</u> ack <u>N</u> ext> Cancel

(14) Click the [Finish].




(15) Click the [OK]. (The personal computer will automatically be rebooted.)



Verification of the installation

When completed, you can find SUBARU-FAST2 in the start menu.

Then, start "SUBARU-FAST CD Copy Tool".



CAUTION!

SUBARU-FAST2 is protected by copyright laws and international treaties.

A multiple installation on PCs beyond licensed numbers expose users for criminal liability.

DO NOT install SUBARU-FAST2 on your PCs beyond the licensed software figures.


Chapter 3. CD-ROM copy tool usage manual

Starting with the November 2008 issue, the CD-ROMs of the SUBARU-FAST2 evolve into three different media packages, i.e. the <u>Version A-1, A-2</u> and <u>B</u>.

Therefore, in case that you would be using the system with the Version A-1 on your CD-ROM drive and the Version A-2 and B copied in your hard disk, you must copy the data of CD-ROMs using the "CD-ROM copy tool" every time you are delivered a new CD-ROM.

To copy data in the Version B and the Version A-2 CD-ROM using "CD-ROM copy tool".

- (1) Insert the latest "SUBARU-FAST2 Version B CD-ROM" into CD-ROM drive.
- (2) Click Start \rightarrow Program \rightarrow SUBARU FAST2 \rightarrow SUBARU-FAST CD Copy tool.




(3) You should specify the CD-ROM drive containing SUBARU-FAST2 Version B CD-ROM in the "CD- ROM drive" box.


Identify the drive. Click the [Browse].

2019 SUBARU-FAST2 CD Copy Tool
Specify CD-ROM drive and "Copy To" then click "Start" button.
CD-ROM drive Browse
Сору То
C:\SUBARUCD Browse
Start Close


(4) Click the CD-ROM drive of the Version B icon in the "Browse for folder" window, then click the [OK].



(5) When you see the following window, then click the [Start].



(6) File copy starts.



(7) When completed, the following dialog will appear and click the [Close].

🥵 390 = SUBARU-FAST2 CD Copy Tool		×	
Specify CD-ROM drive and "Copy To" the	n click "Start"		
button.			
CD-ROM drive			
D:\	Browse		
[-
Сору То			Click
C:\SUBARUCD	Browse		
Copy completed			
		\prec	
Start	Close		

(8) And insert the latest "SUBARU-FAST2 Version A-2 CD-ROM" into CD-ROM drive.

Then, copy the Version A-2 CD-ROM into the hard disk through the same procedure as (2) and later.

These steps completely implement the process for copying data of the Version B and the Version A-2 CD-ROM using "CD-ROM copy tool".

After having copied the data, folder [Sfcdlr1] (the version B) or [Sfcdlr2] (the version A-2) will be created in the folder [Subarucd].

In "Setup" (page 12 - page 13), specify [Sfcdlr2] folder and [Sfcdlr1] folder.



•When you copy the Version A-1, the folder name will be [Sfcdlr3].

•In the US version, the folder name for the Version A will be [Sfcdus2], and the folder name for the Version B will be [Sfcdus1].

Eject the Version A-2 CD-ROM disk from CD-ROM drive, then insert the Version A-1 CD-ROM disk into CD-ROM drive.

CAUTION!

* SUBARU-FAST2 is protected by copyright laws and international treaties.

A multiple installation on PCs beyond licensed numbers expose users for criminal liability.

DO NOT install SUBARU-FAST2 on your PCs beyond the licensed application amounts.


* You must use the copy tool just one time by each CD-ROM.


Chapter 4. SUBARU-FAST2 Setup

Start the SETUP window, and set up as follows.

<u>Part 1</u>

In this case, the following configuration will be explained as an example: "1st: the Version A-1 on CD-ROM drive, 2nd: the Version A-2 copied into hard disk, 3rd: the Version B copied into hard disk"





(Note 1): Price data is not included in SUBARU-FAST2. It is necessary for distributors to create price data


in Accordance with the format provided on page 52.

There are two price fields available (Price A, Price B). It is possible to select price A or


B depending on your own requirements.

(Example: Price A = purchasing price, Price B = retail price.)

Part 3



Part 4




Chapter 5. Outline of SUBARU-FAST2

Overview on how to use SUBARU-FAST2

The following diagram provides an overview on how to use SUBARU-FAST2.

* 1: Before start window, please specify model specification, language and others on the Set-up menu.




Chapter 6. Basic Operations

In this chapter general operations will be given for those using SUBARU-FAST2.


To retrieve targeted part numbers

<u>1. How to begin the SUBARU-FAST2</u>



Follow the process using your mouse to begin the program.

a) Click the [Start] button
↓
b) Click the [Program] group
↓
c) Click the [SUBARU-FAST2] group
↓
d) Click the [Retrieve Part Number]
button



2. Identification of models (using Vin-code input)

🥵 010 = Retri

Vin-Code

Model Change

Color Code

BODY W

GRADE TS

1

e Parts N

2 2 8 7 11 21 21 21 21 21 21 21 21 21

077

Q'ty

JF1GG65553G-804300 0207


GREEN M


Part Code Name

N/S

ENGINE 251

sus





SUBARU-FAST2 identifies the relevant _ 🗆 × vehicleautomatically.

* After a relevant vehicle identified, the listed items will appear on the window.

Ver.A CD-ROM	Ver.B CD-ROM
[Body Model]	[Body Model]
[Model Code]	[Model Code]
[Model Change]	[Model Change]
[Destination Code]	-
[Main Option Code]	[Main Option Code]
[Color Code]	[Color Code]
[Color Name]	-
[Trim Code]	[Trim Code]
[Trim Color Name]	-
[Body],etc.	[Body],etc.

!!! Useful tips: How to identify models by using other methods

If a message including [Not found this Vin-No.] appears, identify the relevant model using such items as [Body Model] or [Model Code].

Note that input of detailed information as possible make it easier to retrieve relevant part numbers.

Model Code

Main Optio

FIG Q'ty

de U4

Trim Co 4W

TRAIN

Number

Only with the ver. A

G11

Remarks

NL

B10 LIGHT GRAY

MISSION HT

3. Selecting parts (from illustrations)

File® Edit® June@ ToolfD UOE@ Hebd9 Part saleston@ Part saleston@ Part name@ Part Number ITCA FI Click rks
Nodel Change 0207 Destination F4 tion Code NL Color Code 070 GREEN M Trim Code B1 LIGHT GRAY Boby W ENGINE 251 TRAIN AW NON MT GRADE TS SUS N/S Click cks
BODY W ENGINE 251 TRAIN 4W R ON MT GRADE TS SUS N/S Part Ode Name Part Number ITCA FI
Part Q'ty Part Code Name Part Number ITCA FI Click rks
0.00

Follow the process using your mouse:


a) Click the [Jump] \downarrow

b) Click the [Parts selection]

↓ c) Click the [Illustration]

↓ d) Click the [Illustrated index]


(Or click the button.) *Refer to page 33



The [Illustrated Index Selection] window appears.

This index has four groups of parts: [Engine, Fuel systems] [Body, Trim & Accessories] [Chassis, Powertrain & Brake] [Electric Part & Lamps] Click the relevant groups.

Then, click the [OK] to go to the illustration index.





Once the [Illustration Index] appears, select (click) a targeted illustration.

!!! <u>Useful tips: How to specify and</u> <u>cancel illustrations</u>.

Click the left-hand button on your mouse to specify a targeted illustration.

Click the right-hand button on your mouse to cancel.






After selecting illustrations, follow the process using your mouse:

a) Click the [Jump] menu
↓
b) Click the [Illustration]

(Or click the **b**utton.)



Click the part code which must be retrieved.

(Then the part code will be highlighted with red.)


The part name should appear at the bottom of the desktop.


Useful tips: How to increase or decrease quantity of identified parts.


Click the left-hand button on your mouse to increase quantity of identified parts.

The number of clicks decides the quantity of increased parts.

Click the right-hand button on your mouse to decrease quantity of identified parts.








After selecting all required parts, follow the process using your mouse:

a) Click the [Tool] menu
b) Click the [Translate]
(Or click the E button.)
Refer page 36

SUBARU-FAST2 automatically starts to retrieve part numbers.

!!! <u>Useful tips: If [FIG###] appears on an illustration</u>



If [FIG###] appears on an illustration, you can jump to it and confirm part number in the illustration of the targeted FIG###.

In the example shown on the left, the part that originally appears on FIG#190 is shown as reference purpose.

the Version A

If you need to check the exhibited part, double-click the relevant [FIG###].

Then you can see automatically "FIG###".

the Version B

If you need to search the part number, click [Jump] and then [Refer to Fig...] on the menu bar or click the source button. Then, enter the relevant Fig ###.

<u>4. To retrieve part numbers</u>

	JF1GG65553G	-804300	Body Mo		Model Code	G11		
odel Chang			Destinatio:	n Code U4	Main Option C			
olor Code	07V 0	REEN M		Trim Code	B10 LIG	HT GRAY		
ODY U	EN	GINE 25	51	TRAIN 4W	MISSION	SMT		
RADE T:	5 SU:	5 N/	's					
art Code	32295 P	art Code	Name	SHIM-DRIVE PINIC	N	Abbreviation		
	Part Number	Dif MY	Product.	Applicable OP	Notes		FIG	
Check	ITCA Part No.	fer enc e	Date	Part Spec. Part Color	Destination Code	Applicable Model	Q'ty	
1	32295AA031	В	20020401-			нт	115	
Cli	ck inside the	e frame	e number	0.150			*	
2 🗆 /	41	В	20020401-			NT	115	
			-20021231	T=0.175			*	
3	32295AA051	В	20020401-			нт	115	
			-20021231	T=0.200			*	
			20020401-			HT	115	
4	32295AA061	В	20020401-					
4	3229588061	В	After	selecting the	part nun	nber,	06	
	32295AA061 32295AA071	В	After	selecting the the [OK].	e part nun	nber,	115	~

If the part number selection window appears during part number retrieval processes, refer to the [Applicable Model] and other information, and then click the relevant part number. (A selection of more than one part number acceptable)

Useful tips: Differences between the Version A and the Version B B
Items which do not appear in the Version B
[Difference], [MY] [Applicable OP], [Destination Code]
All the items are included in the "Notes" column.
If part number selection completed


If part number selection completed, click the [OK].

With every process executed, you will acquire targeted part numbers.

🧱010 = Retrieve Parts N						_ 🗆 X
	U Tool(T) UOE(U) Help(H)					
i 🖬 🕘 😵 曜 🖻	UU 🖽 🖾 🗗 🖻 🖻	2				
Vin-Code	JF1GG65553G-804300	Body Model GGE	BY4J Model C	ode	G11	
Model Change	0207 Dest	tination Code U4	Main Op	tion Cod	le NL	
Color Code	07V GREEN M	Trim Code	B10	LIGH	T GRAY	
BODY W	ENGINE 251	TRAIN 4W	M	ISSION	MT	
GRADE TS	sus N/S					
Part Q ¹ Code	ty Part Code Name	Part Number	ITCA FIG	Q'ty	Remarks	
1 59188B	1 TURN CLIP-MUD GUARD	59122FA010	541	8	0.50	
					0.50	
2 59110B	1 MUD GUARD, FRONT RIGH	59110FE000	541	1	22.00	
3 32231	T 1 GEAR-1ST DRIVEN	32231AA800			22.00	
3 32231	1 GEAR-1ST DRIVEN	3223144800	Exist 115	1	124.00 124.00	
4 32295	1 SHIM-DRIVE PINION	32295AA051	115	*	1.03	
4 02250		52255AA051	115		1.03	
5						
						147.53
					,	
1)	

!!! <u>Useful tips: How to search the parts already assigned</u>

For example, if you are to replace thickness of the "shim" which you have already acquired and to retrieve new part number again,



5. Retrieval of (interchangeable) part numbers

- P	etrieve Parts	Number				-				
	File(F) Edit(E) Jump(U) Tool(T) UOE(U) Help(H)									
6 9 6 7 7 5 5 6 6 2 6 2 6 7 6										
Vin-Code JF1GG65553G-804300 Body Model GGEBY4J Model Code G11										
Model Change 0207 Destination Code U4 Main Option Code NL										
Color Code 07V GREEN M Trim Code B10 LIGHT GRAY										
BODY	U		ENGINE 251	TRAIN 4	U	I	IISSION	MT		
GRADE	TS		sus N/S	- '				,		
	Part Code	Q'ty	Part Code Name	Part Number	ITCA	FIG	Q'ty	Remarks		
1 5	9188B	1	TURN CLIP-MUD GUARD	59122FA010		541	8	0.50		
2 5	9110B	1	MUD GUARD, FRONT RIGH	59110FE000		541	1	0.50		
		-	т				-	22.00		
3 3	2231	1	GEAR-1ST DRIVEN	32231AA800	Exist	115	1	124.00		
4 3	2295	1	SHIM-DRIVE PINION	3229588051		115	*	124.00 1.03 1.03		
5										
				Click						
					_					
								147.53		

When an interchangeable part number exists, the [Exist] button appears in the ITCA column.

To retrieve interchange, click the [Exist].

Check	Part Number	ITCA Code	ITCA part is	ITCA Bltn	ITCA Part Number		Q'ty (Ord	Part	Code Name	Part Code
L 🗹	32231AA800	6	Available together	Exist	32231AA960	1	1	GEAR-1	ST DRIVEN	32231
N			with other parts							
\mathbb{N}	3223122960	2	ITCA part is availab.	.e	32231AA740	1	1	GEAR-1	ST DRIVEN	3223:
Click inside the frame number If "ITCA Bulletin" exists, please click "Exist" butto If "LTCA Bulletin. After selecting the part number, click here.										
Select the indication from the followings. C Changed to original part number C Added to original part number										
			Changed to original	part n	umber					

Interchangeable part numbers, interchangeability conditions and other information appears in the [ITCA Part Number Selection] window.

1-1-1-1

* This function automatically follows all steps of interchangeability up to the most updated interchangeable part number.

In order to print out the interchangeable part numbers as an estimate, click the necessary interchangeable parts, and then click the [OK].

!!! Useful tips: How to access detailed data for ITCA Bltn	
I30 - Parts Illustration (G11) File Edit[: Jump III - 40 FIG Name MT, DRIVE FINION SHAFT Note Page	In order to access the detailed data for ITCA Bltn, click the [Exist] in the ITCA Bltn column at [ITCA Part Number Selection] window, then detailed data appears.
INTERCHANGEABILITY & SUBSTITUTION BULLETIN 3223IAA800 GEAR-IST DRIVEN NEW D D NEW D D NEW SET D Part Cord Part No.m Provide S223IAA800 GEAR-IST DRIVEN 01 S2262 32223IAA800 GEAR-IST DRIVEN S2264 3223IAA800 GEAR-IST DRIVEN S2264 32244A01 VASHER F07401 805074030 SNAP RING-DUTER	 * Detailed data of ITCA Bltn is available only when ITCA condition codes represents "4", "6", "7", and "8". In order to close the window of detailed data for ITCA Bltn, Click the [file] menu, and then click the [Close].
Part Code 32231 GEAR-1ST DRIVEN AUJ5008067. Select : Left click // Cancel : Right click	(Or click the button.) <u>This is only for the Version A.</u> <u>The detailed data for ITCA Bltn could</u> <u>not be accessed on the Version B.</u>

	mp(J) To	ыст иоещ нырсн) ШСШ224 🔂	al mu					_
Vin-Code		G65553G-804300		BY4J M	lodel C	ode	G11	
Model Change	02	207	Destination Code U4	1	lain Op	tion C	ode NL	
Color Code	[or	7V GREEN M	Trim Code		B10	LIC	GHT GRAY	
BODY W		ENGINE 251	TRAIN 40		н	ISSION	MT	
GRADE TS		sus N/S						
Part Code	Q'ty	Part Code Name	Part Number	ITCA	FIG	Q'ty	Remarks	
1 59188B	17	TURN CLIP-MUD GUAR	D 59122FA010		541	8	0.50	
2 59110B	1 8	MUD GUARD, FRONT RI	GH 59110FE000		541	1	0.50	
2 351105		T	5511011000		511	1	22.00	
3 32231	1 0	GEAR-1ST DRIVEN	32231AA960	Exist	ITCA	1	124.00	
							124.00	
4 32231	1 0	GEAR-1ST DRIVEN	32231AA740		ITCA	1	124.00	
							124.00	
5 32295	12	SHIM-DRIVE PINION	32295AA051		115	*	1.03	
6							1.03	
							2	271.

The interchangeable part number is taken in the [Retrieve Parts Number] window.

!!! <u>Useful tips: How to implement multiple "retrieve interchangeable part numbers" actions by one operation.</u>

If you see more than one [Exist] button on the ITCA column, you may retrieve more than one interchangeable part numbers by one action.

Wild E Retrieve Parts Number Colty UDE(U) Hap(t) File(D) Edit(E) Jump(J) Tool(T) UDE(U) Hap(t) F5 Click F5 Click Jump(J) F5 Vin-Code Jr F6 Jump(J) F5 Click Jump(J) GGEBYT Colde Julp Nodel Change Automatio retrieval(G) Automatio retrieval(G) Nation Option Code NL Nodel Change Ortivideation(J) Automatio retrieval(G) Nation Option Code NL BODY W ENSINE 251 TRAIN HW HISSION HT GRADE TS SUS N/S National State Other Note Other Note I S9188B 1 TURN CLIP-NUD GUARD S9122FA010 541 8 0.50 2 32231 1 GEAR-1ST DRIVEN 32231AA960 Exist Other 1 124.00 3 A70863 1 BOLT 800708630 Exist Other 9.90 9.90 9.90 9.90 9.90	Follow the process using your mouse to begin the program. a) Click the [Tool] menu (Or click the I button.) ↓ b) Click the [Automatic retrieval of ITCA Parts number]
SUBARU-FAST 2 Image: Subarrule in the function of automatic retrieval of ITCA parts number, final ITCA parts number will replace referenced parts number. Attention: The function of automatic retrieval of ITCA parts number can not be used for set ITCA parts number. Please click the each ITCA [EXIST] buttons and refer each ITCA parts number again. Are you going to use this function? Click Yes	If you see the message as shown on the left. Click the [Yes]. CAUTION! Before processes, you should read messages which appears on the windows.
Image: Service Parts Number Image: Service Parts Number File(P) Jump(Q) Tool(P) UOE(Q) Help(P) Image: Service Parts Image: Service Parts Image: Service Parts Image: Service Parts Vin-Code OFTO GREEN H Trim Code Image: Service Parts Image: Service Parts Vin-Code OFTO GREEN H Trim Code Image: Service Parts Image: Service Parts Color Code OFTV GREEN H Trim Code Image: Service Parts Image: Service Parts GRADE TS SUS N/S Image: Service Parts Image: Service Parts Image: Service Parts Code Of'ty Parts Code Name Part Number ITCA FIG O'ty Remarks I Service Part Ocde N/S Image: Service Parts Image: Service Parts	The interchangeable part number is taken in the [Retrieve Parts Number] window.

!!! Useful tips: How to output all the interchange data as a list

If you need a list containing all the interchange data of the CD-ROM, open the "ITCA_DATA.TXT" file using applications such as Word pad. (The "ITCA_DATA.TXT" file is formatted as follows)

File Name : ITCA_DATA.TXT (This file is stored in the CD-ROM.)

Record length: 87byte/rec (Each data is split by CR.CF like a text format)

Layout

:								
Part number	:	15byte						
Blank	:	1byte						
Blank	:	1byte						
ITCA code	:	1byte						
Blank	:	1byte						
ITCA part number	:	15byte						
Blank	:	1byte						
Q'ty	:	2byte						
Blank	:	1byte						
Part code	:	7byte						
Blank	:	1byte						
Part name (*1)	:	40byte						
*1) Part name: The part name is given only by English.								

6. Confirmation of the grand total price

		Parts selection stimate() JF10		Click	BY4J J	Model C	ode	G11
del	Change	Į	0207 De	stination Code U4		fain Op	tion C	ode NL
lor	Code	- Fo	D7V GREEN M	Trim Code		B10	LIC	HT GRAY
DY	U		ENGINE 251	TRAIN 4	W	м	ISSION	MT
ADE	TS		sus N/S	_				
	Part Code	Q'ty	Part Code Name	Part Number	ITCA	FIG	Q'ty	Remarks
L	59188B	1	TURN CLIP-MUD GUARD	59122FA010		541	8	0.50
2	59110B	1	MUD GUARD, FRONT RIGH	59110FE000		541	1	0.50 22.00 22.00
	32231	1	GEAR-1ST DRIVEN	32231AA960	Exist	ITCA	1	124.00 124.00
ł	32231	1	GEAR-1ST DRIVEN	3223188740		ITCA	1	124.00 124.00
5	32295	1	SHIM-DRIVE PINION	32295AA051		115	*	1.03 1.03
5								

Where pricing detail is loaded on to your PC, the grand total price (Part price +Tax + Discount) can be confirmed by SUBARU-FAST2.

Click the [Jump] menu, and then click the [Estimate] when you confirm the grand total price.

(Or click the	P	button.)
*Refer to pa	ge 3	3

230 = Estimate			×
File(<u>F</u>) Jump(<u>J</u>)	1		
	j		
		Price	
	Part	271.53	
	Discount	0.00	
	Total	271.53	
	Tax		
	Grand-total	271.53	
-Extra item			
Name		Price	
		ок	Cancel
			Cancer

The grand total price is indicated in the [Estimate] window. * Tax is indicated automatically by the rate chosen in the [setup] window.

If confirmation is finished, click the [OK], and return to the [Retrieve Parts Number] window.

!!! <u>Useful tips: How to discount parts price</u>

The following window is indicated when you click the [Discount] in the [Estimate] window.

) Amount		0.00		
• Percentage				10 + %
Rour	nd a	t		
	C	555.5 <mark>5</mark>	->	555.60
	C	555. <mark>5</mark> 5	->	556.00
	C	55 <mark>5</mark> .55	->	560.00
C Omit	:			
	C	555,55		556.00
	C	555.55		555.60
	С	555,55		560.00
Clear	- 1	OK		Cancel

Discounts can be applied by using this function.

* The discount can be done by the "discount amount input" or the "calculation by the rate".


Next, when you click the [OK], the amount of discount is indicated on the [Estimate] window.

7. Printing the retrieval results (Printing the estimate)

* The retrieval results are printed as the estimate.

	Retrieve Part Edit(<u>E</u>) Jui			Help(<u>H</u>)						_ 🗆 ×
Clear (]		1		144 🗗 🖾	1					
Open((2)					GEBY4J N	Iodel C	'ada	G11	
Data s	ave(<u>S</u>)	Ľ.,	GG65553G-804		· · ·					
Print(P) F7		0207	Dest	ination Code U	14 N	fain Op	tion C	ode NL	
Close	🖄 F12	= [97V	Click	Trim Code		B10	LIC	GHT GRAY	
BODY	U		ENGINE	1201	TRAIN	4W	М	ISSION	I MT	
GRAD	E TS		sus	N/S		_				
	Part Code	Q'ty	Part Co	ode Name	Part Number	ITCA	FIG	Q'ty	Remarks	
1	59188B	1	TURN CLIP-M	IUD GUARD	59122FA010		541	8	0.50	
									0.50	
2	59110B	1	MUD GUARD,F	RONT RIGH	59110FE000		541	1	22.00	
			T						22.00	
3	32231	1	GEAR-1ST DR	UVEN	32231AA960	Exist	ITCA	1	124.00	
4	32231	4	GEAR-1ST DR	THEN	32231AA740	_	ITCA	1	124.00	
4	32231	1	GLAR-ISI DR	(IVEN	52251AA/40		TICA	1	124.00	
5	32295	1	SHIM-DRIVE	PINION	32295AA051	-	115	*	124.00	
		-	billin billing		0000000000		110		1.03	
6										
	1									
										271.53
										271.00
										111

Click the [File] menu, and then click the [Print]. (Or click the button.) *Refer to page 33



[Print] window is opened.*The input column of customer information and dealer information exists in [Print] window.When that information is inputted, it is included in the estimate.

After inputting information, click the [Print].

!!! <u>Useful tips: How to indicate store information automatically</u>

Part 1	Part 2	Part 3	Part 4
Dealer			92.
These are prin	nted on estimate		
Neme	Fuji heavy	industries ltd.	
Tel	048-653-594	3	
Address	2ND SUBARU	BLDG, 1-1CHOME, M	IIYAHARA-CHO,
	OMIYA-SHI, :	SAITAMA 330-0038	
Staff	Tarou Suzik	1	
[C:\	ory for order day		Browse
C:\ Screen indicati @ Content:	ion after the ord s are lift s are removed system		Browse
C:\ Screen indicati C Content: C Content: Link with order O Not lind	ion after the ord s are lift s are removed system k		Вгомае
C:\ Screen indicati C Content: C Content: Link with order C Not link C Links	ion after the ord s are lift s are removed system k		Browse

You may input your Dealer information on the [Setup] window. This will automatically transfer to the estimate.

8. Saving the retrieval results as data

<u>@</u> 010 =	Retrieve Part	is Numbe	r						_ 🗆 ×
File(<u>F</u>)	File() Edit() Jump() Tool() UOE() Help()								
Clear	Clear 10 F1 📰 🖽 🖽 🏭 🌆 🔛								
Open(C		JF1	GG65553G-804300	Body Model GG	EBY4J I	Model C	ode	G11	
Data si			Des Des	tination Code U4	,	lain Or	tion (ode NL	
Print(P			Des	Trim Code	· · · ·	B10		GHT GRAY	
CloseQ			Click	_		· ·	_		
BODY	U			TRAIN 4	W	R	ISSION	и мт	
GRADI	e TS		sus N/S						
	Part Code	Q'ty	Part Code Name	Part Number	ITCA	FIG	Q'ty	Remarks	
1	59188B	1	TURN CLIP-MUD GUARD	59122FA010		541	8	0.50	
	59110B		MUD GUARD, FRONT RIGH	59110FE000		541	1	0.50	
2	591108	1	T	5911072000		541	1	22.00	
3	32231	1	GEAR-1ST DRIVEN	32231AA960	Exist	ITCA	1	124.00	
								124.00	
4	32231	1	GEAR-1ST DRIVEN	32231 AA 740		ITCA	1	124.00	
5	32295	1	SHIM-DRIVE PINION	3229584051		115	*	124.00	
	52255	-	SHIR DRIVE TIMION	322334031		115		1.03	
6		Ì							
		I							
								2	71.53

The retrieval results can also be saved as data.

When it is saved, click the [file] menu, and then click the [data save].

(Or click the button.) *Refer to page 33

🕵 310 = Save As	×
Save in : 🔤 SUBARUEX2 🔽 💽	
Name Comment	Modified Save
BACKUP	00/11/21 13:59:3
	Cancel
	F
	_
File name: *.sfa	
Comment:	-

The [Save As] window is displayed.

🧱 310 = Save As			×
Save in : 🔁 SUBARUEX2	- 1	<u>*</u>	
Name	Comment	Modified	Save
BACKUP		00/11/21 13:59:3	
File name: test.sfa Comment: Mr.tanaka	sure to input this	s column Use this column	n freely

Enter a file name and a comment to save data. (The comment may be entered as text.)

When you click the [Save], the retrieval results are saved per the entered file name.

9. Opening the saved data

O10 = Retrieve Parts Numbe File(E) Edit(E) Jump(J) 1 Clear(N) F1						
Open(©) Data save © Print(₽) F7 Close ⊘ F12		Body Model n Option Code Trim Code	Mo	del Code	2	
Part Q'ty	Part Code Name	Part Number	ITCA	FIG Q'ty	Remarks	

Click the [file] menu, and then click the [Close]. (Or click the 🖆 button.) *Refer to page 33

Name	Comment	Modified	Open
BACKUP		00/11/21 13:59:3	
😽 test.sfa	Mr.tanaka	02/12/21 13:15:1	Cancel

The [Open] window appears. (The previously saved retrieval results appears in the window)

Click the "retrieval results" data, and then click the [OPEN].



If you see the message shown on the left, replace the inserted CD-ROM with the CD-ROM with data indicated in the message, then process again.

!!! <u>Useful tips: How</u> ﷺ300 = Open Look in : SU		data	×	Click data which is to be deleted, and then press
Name BACKUP test.sfa	Comment Mr.tanaka	Modified 00/11/21 13:59:3 02/12/21 13:15:1	Open Cancel	[delete] key in your keyboard.

10. Closing of SUBARU-FAST2

lear (<u>N</u>			Tool(T) UOE(U) Help(H)	2					
pen(<u>O</u>) ata sa		JF:		· ·		Model (G11	
rint(P)			Des 07V GREEN M	Trim Code U4	1	fain Op B10		Code NL GHT GRAY	
IoseQ IODY	0 F12 W		ENGINE 251	TRAIN 40	J	· ·	IISSION		
GRADE			SUS N/S						
	Part Code	Q'ty	Part Code Name	Part Number	ITCA	FIG	Q'ty	Remarks	
1	59188B	1	TURN CLIP-MUD GUARD	59122FA010		541	8	0.50 0.50	
2	59110B	1	MUD GUARD, FRONT RIGH T	59110FE000		541	1	22.00 22.00	
3	32231	1	GEAR-1ST DRIVEN	32231AA800	Exist	115	1	124.00 124.00	
4	32295	1	SHIM-DRIVE PINION	32295AA051		115	*	1.03 1.03	
5									
								1	147.

Click the [file] menu, and then click the [Close]. (Or click the initial button located at the top right corner of the [Retrieve Parts Number] window.) *Refer to page 33

Chapter 7. Descriptions for windows in SUBARU-FAST2

<u>1. Retrieve parts number window</u>

<pre>6010 = Retrieve Parts Numb File(F) Edit(E) Jump(J)</pre>				
	J 🗆 🖓 🏖 🗗 🖻			
Vin-Code JF:	1GG9LK42G-016138	Body Model GG9BL5K	Model Code G11	
Model Change	0207 Dest	cination Code EC	Main Option Code LG	
Color Code	01G PREMIUM SILVER M	Trim Code	B20 OFF BLACK	
BODY W	ENGINE 201	TRAIN 40	MISSION 5MT	
GRADE GX	sus N/S	DESTINAT LH		
Part Q'ty Code	7 Part Code Name	Part Number ITCA	FIG Q'ty Demort	E)
	1 SPARK PLUG	22401AA550 Exist	090 4	5.20
2 865421	1 BLADE ASSEMBLY-REAR WIPER	865423100		12.00
3 26296	1 PAD KIT-FRONT DISK B RAKE	26296ACO41		98.90 F)
4 26696A	1 PAD KIT-REAR DISK BR KE	26696FC002		79.00
5 34908A	2 BODT-STEERING GEAR B OX	34135FC000		11.3D 22.6D
6				
H) A)		· · · · · · · · · · · · · · · · · · ·	B) C) D)	G)
				217.70

- A) Quantity of retrieved parts
- B) Quantity used for one vehicle.
- C) Part unit price. (Note 1)
- D) Price Amount (part price x quantity of retrieved parts.) (Note 1)
- E) If Interchangeable P/No. exists, this button appears Interchangeable P/No. appears if you click this button.
- F) Indication of new parts or discontinued parts. (Note 2)
- G) Total price for all retrieved parts. (Note 1)
- H) Display Part Code. (Note 3)
- (Note 1): The price will appear only if price data is created with use of Price indication tool.
 (Refer to page 55 from page 51 for details on data formats and price indication methods.)
 If price data is created, Price A or Price B appears in the window according to selection in SUBARU-FAST2 setup window.
- (Note 2): In searching for P/No., a new P/No. and a discontinued P/No. are highlighted as follows;
- (Note 3): Entering a minimum 3 valid numbers, followed by one asterisk will bring up a "popup" window displaying all part codes beginning with those selected numbers.

Items may be illustrated or selected and translated from this window.

Condition of [new] or [discontinued] in SUBARU-FAST2

	Condition	Color on Monitor
New	New P/No. set up for 13 months before	Blue
	issue of SUBARU-FAST2	
Discontinued	P/No. Recognized as discontinuation	Red
Other		Black

	ς.

Eurotics	Dutter	Eurotics las	Magning	
Function name	Button	Function key	Meaning	
Clear		F1	All the retrieval results are cleared.	
Open	Ŋ		Saved file is opened.	
Data save			The retrieval results are saved.	
Print	መ	F7	The retrieval results are printed. The [Print] window is opened.	
Close	×	F12	SUBARU-FAST2 is closed.	
Insert			The blank line is inserted into the upside of the choice line.	
Delete		DEL	The choice line is deleted.	
Cut		Ctrl + X	The choice line is cut off.	
Paste		Ctrl + V	The cut line is inserted into the upside of the choice line.	
Sort				
Automatic Q'ty indication	123		Import the quantity of retrieved parts into Q'ty by one action. (Open the window for retrieved quantity importing process)	
Automatic retrieval of ITCA Parts number	00₽1		Retrieve interchangeable parts by one action. (Open the window for interchangeable parts retrieving process)	
Modify			Click when you want to modify the part name, price, and so on by the manual operation.	
Edit the user's memo	1		Configure the user memo. (Open the window for configuration of the user memo)	
Illustrated index	Ε	F2	Part illustration is opened from illustrated index.	
General index			Part illustration is opened from general index.	
FIG group			Group index is opened.	
FIG No.	Ę₽	F4	Part illustration is opened by enter of Fig No.	
Damage portion	N		Part illustration is opened by the specification of damage portion.	
Part name	A	F3	Refer to part number by part name.	
Maintenance service	2	F6	Refer to part which is used for maintenance service.	
Estimate	튭	F8	Confirmation of estimated amount.	
Translate		F5	Translate part number.	
Ref. of another model			Click when you want to add the retrieval results of another model behind the retrieval results.	
Wide range retrieval			Click when you want to retrieve the part number of the choice line again. (Refer to related details on page 22)	
UOE			Order data are made for the order system. (Refer to related details on page 72)	
About the version			The version of SUBARU-FAST2 is indicated.	

2. Illustration Select

🧱 170 = Illustration Select				×
Vin-Code	-	Body Model	Model Code G11	
Model Change	?	Destination Code	Main Option Code	
Color Code		Trim Code		
BODY	ENGINE	TRAIN	MISSION	
GRADE	▼ sus	▼ DESTINAT	V	
FIG 348	OIL PUMP		Abbrev	A)
Appli	icable Model	Product Date	Notes	Page
1 ^S +₩		0004- FITTING		01
2 S. (161+201+251	l) +W.(161+201)	0004- PUMP		02
S.205 +W.205)	0004-0103 PUMP		63 B)
3	/			
₹ S.(205+207) +W	.205	0104- PUMP		04
	\prec			
				C)
				D)
		Number Selection	OK (Cancel


Illustration Select

The illustration select window displays a list of all illustrations to the vehicle. When the illustration select window comes out, select the required illustration with referring to "Product. Date" and "Note".

- A) Fig name of illustration
- B) Displaying the full name or characteristics of the illustration.
- C) Displaying applicable period of the illustration. #1
- D) Displaying the applicable model. #1
- #1 When entering more information relating to the vehicle, SUBARU-FAST2 automatically selects applicable

illustrations.

3. Illustration



The color of pictorial display and background on the illustration window can be changed. Press the [*] key to change colors. Colors can be selected in the following combinations.

	Background	Illustration	Selected part codes (other than the position of the cursor)	Selected part codes (other than the position of the cursor)
1	Gray	Blue	Green	Red
2	Light Blue	Yellow	Green	Red
3	Blue	Yellow	Green	Red
4	Green	White	Blue	Red
5	Black	Blue	Green	Red
6	White	Blue	Green	Red

- A) Name of illustration
- B) Note that there are some part codes which are displayed separately from illustrations.
- C) Click the [Part Code] to select a part (the color of the selected part code turns red.) Refer to the explanation below for further details.

Increasing or decreasing the quantity of specified parts.

Click the left-hand button on your mouse to increase quantity of identified parts. The number of clicks decides the quantity of increased parts.

Click the right-hand button on the mouse to decrease the quantity of specified parts. The quantity is decreased in accordance with the number of clicks.

- D) Quantity.
- E) Displaying the part code and part code name currently selected.
- F) Note of illustration (only for the Version A)
- G)

Function name	Button	Function key	Meaning
Print	1	F12	Prints the illustration displayed on the window.
Close	Х	F1	The [Parts illustration] window is closed.

Function name	Button	Function key	Meaning
Edit the user's memo	7 11		Configure the user memo. (Open the window for configuration of the user memo)
Last transaction			This window is closed and returned on the last transaction window.
Refer to FIG		F4	The illustration of the enter Fig. number is indicated. (The [Enter FIG No.] window is opened.)
Select illustration	Ę.	F8	The [Illustration select] window is indicated.
Previous FIG	÷₽	Ctrl + F6	The illustration of the previous Fig. is indicated.
Next FIG	ľt)	Ctrl + F7	The illustration of the next Fig. is indicated.
Previous page	ৠ	F6	The illustration of the previous page is indicated.
Next page	Ð	F7	The illustration of the next page is indicated.
Translate		F5	The part number retrieval starts by the click this button.

4. Enter FIG Group

🥵 080 = Enter FIG Group		×
Group No.	I	_
	OK	Cancel
Enter the number of	group index.	

* This pop-up window is displayed by clicking on Jump, Parts Selection, Illustration, Fig Group.


List of Fig. group numbers

	-		
GROU	JP No.	FIG. GROUP NAME	FIG. No.
	Α	ENGINE MAIN	000 - 039
0	В	ENGINE AUXILIARIES	040 - 089
	С	ENGINE ELECTRICAL PARTS	090 - 099
	Α	MANUAL TRANSMISSION	100 - 149
1	В	AUTOMATIC TRANSMISSION	150 - 189
	С	DIFFERENTIAL & PROPELLER SHAFT	190 - 199
2	Α	SUSPENSION, AXLE & BRAKE	200 - 299
3	Α	STEERING SYSTEM & CABLE	300 - 399
4	Α	ENGINE MOUNTING & COOLING	400 - 499
5	Α	BODY, KEY KIT & BUMPER	500 - 599
6	Α	DOOR PARTS	600 - 639
0	В	SEAT & INSTRUMENT PANEL	640 - 699
7	Α	HEATER & AIR CONDITIONER	700 - 799
8	Α	BODY ELECTRICAL PARTS (1)	800 - 839
0	В	BODY ELECTRICAL PARTS (2)	840 - 899
9	Α	OUTER ACCESSORIES	900 - 929
7	В	INNER ACCESSORIES	930 - 999

Example: Enter 9B in the Group No. column to select the INNER ACCESSORIES group.

The group chart for the inner accessories is displayed by the click the [OK].

5. Damage Assignment



Select the damaged section and damage level with the mouse.

To retrieve the [OK] button is clicked after completing selection, the "Illustration Select (Damage Assignment)" window is displayed. (Refer to the next page.)

- A) Selection of damaged section. (More than one section can be chosen.)
- B) All damaged sections are chosen.
- C) Selection of damage level.
- D) The "Illustration Select (Damage Assignment)" window is displayed.
- E) This window is closed, and the "Retrieve parts number" window is indicated.

6. Illustration Select (Damage Assignment)

Check	A) Group	FIG Name Typical Part <u>Ne</u> me	FIG	FIG Change	
	Front Body	FRONT BUMPER B) BUMPER FACE-FRONT C)	590		
	Front Body	FRONT BUMPER BASE-LICENSE PLATE	590 🤇	Change	
	Front Body	LAMP (FOG) FOG LIGHT ASSEMBLY-FRONT RIGHT	845		
	Front Body	FRONT GRILLE	911		
	Front Body	FRONT GRILLE ASSEMBLY HEAD LAMP	840		
	Front Body	LAMP ASSEMBLY-HEAD RIGHT FRONT HOOD & FRONT HOOD LOCK	550		
	Front Body	HOOD COMPLETE-FRONT LABEL (CAUTION)	918		
	Front Body	LABEL-PRESSURE COWL PANEL	920		
		COWL PANEL, RIGHT		Þ	Ě.

Fig. names (and part code names of major parts) are displayed in accordance with the damaged section and damage level.

To retrieving part numbers, click the mouse in "Check" column, then click the [Illustration].

A) The damage group is indicated. (It is indicated from the following nine groups.)

Front Body Cooling & Engine Front Suspension & Steering Door & Side Body Inner Equipment Roof & Floor Rear Suspension & Exhaust Rear Body Frame

- B) The Fig. name is indicated.
- C) The name of major part in this Fig. is indicated.
- D) The [Change] button is indicated when the part of this name is related to several Figs.

If clicking this button, FIG-No. Selection window is displayed. (Refer to page 43)

- E) All chosen illustrations are indicated.
- F) This window is closed, and "Damage Assignment" window is indicated.

7. Maintenance Service Part List

	Check	Part Code	Part Code Name
1		13028	BELT-TIMING
2		15208	OIL FILTER COMPLETE
3		16546	ELEMENT-AIR CLEANER
4		22401	SPARK PLUG
5		26140	VACUUM HOSE-BRAKE
6		26140A	VACUUM HOSE-BRAKE, NO.2
7		26296	PAD KIT-FRONT DISK BRAKE
8		26297	SEAL KIT-FRONT DISK BRAKE
9		26540A	BRAKE HOSE-FRONT RIGHT
10		26540B	BRAKE HOSE-FRONT LEFT
11		26541	BRAKE HOSE-REAR
12		26541A	BRAKE HOSE-REAR, RIGHT
13		26541B	BRAKE HOSE-REAR, LEFT
14		26694	BRAKE SHOE REPAIR KIT, REAR
15		26695A	WHEEL CYLINDER REPAIR KIT A
16		26695B	WHEEL CYLINDER REPAIR KIT B
17		26696A	PAD KIT-REAR DISK BRAKE
			Þ

This window shows the part codes and part code names of main maintenance service parts. To retrieve part numbers, click the mouse in "Check" column to select the parts.

- A) The window is returned to "Retrieve Part Number", and the part number retrieval starts.
- B) The window is returned to "Retrieve Part Number". And, all the part codes chosen on this window are taken over on the "Retrieve Part Number" window.
- C) This window is closed, and the "Retrieve Part Number" window is indicated.

8. Part Code Selection

	Part Code	Q'ty	Part Code Name	FIG	FIG Change	
1	15008	0 🖨	ROTOR SET-OIL PUMP	168	CHANGE	
2	15010	A)	OIL PUMP ASSEMBLY-ENGINE	032	B)	
3	15015		ROTOR-OIL PUMP, INNER	032		
4	15016		ROTOR-OIL PUMP, OUTER	032		
5	15018		UNION-OIL PUMP	004		
6	15034		COVER-OIL PUMP, ENGINE	032		
7	15048		SEALING-OIL PUMP	032		
8	31240		ROTOR-OIL PUMP, INNER	168		
9	31241		CAM RING-OIL PUMP, AUTOMATIC TRAI	168		
10	31243		VANE-OIL PUMP, AUTOMATIC TRANSMIS	168		
11	31245		RING-OIL PUMP, AUTOMATIC TRANSMIS	168		
12	31246		SPRING-OIL PUMP, AUTOMATIC TRANSI	168		
13	31248		OIL PUMP KIT-AT	168		
ιĽ						١

The part code which contains all the designated words on the "Part Name Selection" window is displayed on this window.

- A) Quantity increases by the left-click on the part code name or Fig-No. And, it decreases by the right-click.
- B) The [Change] button is indicated when this part code is related to several Figs.
- If clicking this button, FIG-No. selection window is displayed. (Refer to page 43)
- C) All chosen illustrations are indicated.
- D) The window is returned to "Retrieve Part Number", and the part number retrieval starts.
- E) The window is returned to "Retrieve Part Number". And, all the codes chosen on this window are taken over on the "Retrieve Part Number" window.
- F) This window is closed, and the "Retrieve Part Number" window is indicated.

9. Part Name Selection

🕵110 = Part Name Selection		×
Find		
Word 1 GA A) Word 2	PLU Word 3	
Word 1	Word 2	Word 3
GALLERY GARNISH	PLUG PLUNGER	
GASKET B)	PLUS	
GATE		
GAUGE		
_	-	•
Decision		
Word 1 GASKET Word 2	PLUG Word 3	
Delete	Delete	Delete
C) Delete	Defece	DETECE
Please enter an initial letter for	a part name. And	E) F)
click on a word in the list.	ok	Cancel

This function is used to retrieve part numbers from part code name.

A) A maximum of three words of part code name may be entered in the "Find..." field.

The full spelling for each word is not necessary to be entered as long as at least the initial letter of each

word is entered.

It is possible to enter three words at random.

- B) This list is displayed when an initial letter of a part code name is entered in the "Find..." field. Click a word in the list to select a relevant word.
- C) A word decided by B) is displayed.
- D) The display of C) is removed.
- E) The window changes to "Part code selection". And, the part name which contains all the words of C) is

indicated on the "Part code selection" window.

*The following message is indicated when the part name which contains all the words of C) doesn't exist.

SUBARU-	-FAST 2 🔀
⚠	Not found the description by your choice of words.
	<u>OK</u>

F) This window is closed, and the "Retrieve Part Number" window is indicated.

10. FIG Number Selection

Vin-Code - Body Model Model Code S10 Model Change Main Option Code - - - Color Code Trim Code - - BODY ENGINE TRAIN MISSION -
Color Code
BODY ENGINE TRAIN MISSION
GRADE SUS DESTINAT
Part Code 15008 ROTOR SET-OIL PUMP A)
FIG FIG Name
1 121 MT, TRANSFER & EXTENSION B)
2 168 AT, OIL PUMP & HOUSING
<u>_</u>
Number Selection
1 OK Cancel

This window is displayed when there are several Figs for one part code.

In the above example, there are two Figs that are related a part code of "15008". In this case, select the relevant Fig by confirming the Fig name.

- A) Part code and part name are indicated.
- B) Displaying Fig numbers and Fig names that the part is mentioned on. Click a relevant Fig by confirming the Fig name.

11. Part Number selection

n-Code	-	Body M	lodel	Model Code	G11	
del Change	2	Destinati	.on Code	Main Option C	Code	_
lor Code			Trim Code			
DY 🚺 1	ENGINE		TRAIN TRAIN	MISSION	I 🔽	
ADE S	sus 🛛		▼_			
rt Code 12033	Part Cod	e Name	PISTON RING SET	C	Abbreviation	A)
Part Number	Dif MY	Product.	Applicable OP	Notes		FIG 1
Check ITCA Part No.	fer enc e	Date	Part Spec. Part Color	Destination Code	Applicable Model	Q'ty
1 12033AB070	E) C	20021001-			WRX	010
_	E)		STD	ECEKK4	D)	04
2 🔲 12033AB080	с	20021001-	C)		WRX	010
_	F)		05,0.25	ECEKK4		04
3 🔲 12033AB090	с	20021001-		B)	WRX	010
_			08,0.50	ECEKK4		04
4 🔲 12033AB220	A	20000901-			205	010
		-20020531				01
ick on check box, and :						

This window appears when SUBARU-FAST2 cannot retrieve one part number during Translation process by such as insufficient vehicle information.

When this window appears enter further specified vehicle information to narrow down part numbers. If the above window still remains although specified vehicle information input, move to the [Difference], [MY], [Product. Date], [Notes], [Applicable Model] and [Part Spec.] and select targeted parts accordingly.

- A) To enter into the abbreviation list.
- B) When you cannot understand the abbreviation of "Notes", click the [Abbreviation].
 * Destination code appears only in the Version A
- C) You can confirm detailed information of the part.
 - * Applicable OP appears only in the Version A
- D) When you cannot understand the abbreviation, click the [Abbreviation].
- E) You can confirm difference between Part codes in Parts illustrations (only for parts with "*# " <* = any number> for Part codes in Parts illustrations).
 - * Difference appears only in the Version A
- F) You can confirm Notes of Model Change List as replacements of Model year. (Click the ? in Model Change to enter into "Model Change List")
 * MY appears only in the Version A
- G) Click the button to return to Retrieve Part Number, and all the part numbers chosen in the above window will also appear in the Retrieve Part Number window.

<u>12. ITCA Part Number selection</u>

220	= ITCA	Part Number Select	tion								
	Check	Part Number	ITCA Code	ITCA part is	ITCA Bltn	ITCA Part Number		Q'ty (Ord	Part Cod	e Name	Part Code
1		28021AC171	(Available together with other parts	Exist	28021AC280			NIVE SHAFT	ASSEMBLY	28321
2	Ľ		6	lvailable together with other parts		051906402	1	1 \$	SPRING PIN		05195
3	Ľ	28021AC280	2	ICA part is available		28021AC281	1		ORIVE SHAFT -FRONT	ASSEMBLY	28321
	3		A)	B)	ſ	C)	D)	E) F)		· · · · ·
		I	11)	D)	L	0)	<i>D</i>)	Ľ			
		"ITCA Bullet Lletin.	tin" e	xists, please click "Ex	ist"	button and c	onfirm	ITCA	Part Number	s by the	
			Γ	Select the indication f	rom t	he following	ys.——				
			ſ	G) • Changed to orig:	inal p	art number					
			-	O Added to origina	al par	t number					
						Print		H)	ок	I) _{Canc}	el

In the above example, 28021AC171 and a set of 28021AC280 and 051906402 in the interchangeability condition "6" are interchangeable. In addition, 28021AC280 and 28021AC281 in the interchangeability "2" are interchangeable.

(Refer to [Interchangeable condition and meanings] on the next page for further details.)

When this window appears enter further specified vehicle information to narrow down part numbers. If the above window still remains although specified vehicle information input, move to the [Product. Date], [Notes], [Applicable Model] and [Part Spec.] and select targeted parts accordingly.

- A) Original part number
- B) Interchangeability condition (Refer to the next page for further details)
- C) The button guides you to check detailed data for ITCA Bulletin.

* Only in the Version A

- D) Interchangeable part number
- E) You can check quantity for interchangeable parts required with one original part.
- F) Quantity
- G) Choose how you want it taken over interchangeable part number on Retrieve Part Number window. Choose how all the interchangeable part numbers chosen on this window are taken over on the "Retrieve Part Number" window.
 - a) Changed to original part number :
 - Original part number is removed, and interchangeable part number is inserted.
 - b) Added to original part number :
 - Interchangeable part number is inserted under the original part number. (Original part number remains)
- H) Click the button to return to Retrieve Part Number, and all the part numbers chosen in the above window will also appear in the Retrieve Part Number window.
- I) This window to close, and the Retrieve Part Number window appears.

Interchangeable condition codes and descriptions

ITCA condition codes	Description
	The new part and old part are mutually interchangeable.
1	Part number after interchanging Part number before interchanging
	New \checkmark Old
2	Only the new part can replace the old part.
	New ——— Old
2	Only the old part can replace the new part.
3	New - Old
	The new part can replace the old part with simple modifications.
4	New Old Simple modifications
	The new part can replace the old part along with other parts.
6	New + Old Other parts
	The new part can replace the old part by replacing both RH and LH parts for color or other appearance reason.
7	New — Old
	+ New' → Old'
	The new part number (parts kit) can replace the old part.
8	New Old (kit)
9	The new part replaces the old part compulsorily in conditions other than the above.
9	New ———— Old

* There may be several generations of interchangeable part numbers. (Example: Part number A is interchangeable with part number B, and part number B is interchangeable with part number C.)

13. Estimate

With the second seco	. UE)		X
		Price	
	Part	305.84	
	Discount	0.00	
	Total	305.84	
A)	Tax		
	Grand-total	305.84	
_Extra item			
Name		Price	
	B)	С)	Cancel D)

The total amount (total of the part price + discount + tax) can be confirmed on this window.

- * The discount is set up on this window.
- * The tax is calculated automatically by setting up the "Setup" window. (Refer to page 12)
- A) The following window appears by the click this button.

See Discount				X
• Amount			0.00	
C Percentage			%	
• Roun	d at			
	€ 555.5 <mark>5</mark>	->	555.60	
	C 555.55	->	556.00	
	C 55 <mark>5</mark> .55	->	560.00	
C Omit				
	C 555.5 <mark>5</mark>	->	555.50	
	C 555.55	->	555.00	
	C 55 <mark>5</mark> .55	->	550.00	
Clear	OK		Cancel	

(The discount is set up on this window.)

- B) The cost entered in this column is outside the target of the tax calculation.
- C) The window is returned to "Retrieve Part Number". (Information on this window is remembered.)
- D) This window to close, and the "Retrieve Part Number" window will appear. (Information on this window is canceled.)
- E)

Function name	Button	Function key	Meaning
Data save			Data save
Print	۵D	F7	The [Print] window to open.
Close	×	F12	This window to close. (Information on this window to be canceled.)
Retrieve Part	a	F1	The window to return to "Retrieve Part Number". (Information on this window will be held.)

<u>14. Print</u>

a. Customer

2010 = Print Customer Dealer	×
Name Shunji Yonekura	Tel(Home) 048-653-0000 Tel(Office)
Address	03-9999-9999 Tel(Portable)
ADDIESS 1-1CHOME, MIYAHARA-CHO, OMIYASHI ,SAITAMA 330-0038, JAPAN	090-1111-1111 Fax 048-653-2222
A)	Model Name S10 Body Model
yonekuras@omi.subaru-fhi.co.jp	SF5AK4R Vn-Code JF1SF5KR5WG003301
Printer EPSON LP-92005 V Propertie	
Print Preview E-Mail	Print Cancel

b. Dealer

2 410 = Print	
Customer De	aler
Name	SUBARU OF JAPAN, INC.
- 1	
Tel	03-3999-9999 B)
Address	SUBARUBLDG, 1-7-2, NISHI-SHINJUKU,
	SHINJUKU-KU, TOKYO 160-8316, JAPAN
Staff	FUJI JUKO
Memo	
	Change of Header/Footer
	Change H)
Printer EPS	
	30N LP-92003 Properties
D)	Print Preview E) E-Mail F) Print G) Cancel

Retrieval results are printed on the estimate. Information entered on this window also appears on the estimate.

A) This information is taken automatically from "Retrieve Parts Number" window.

- B) This information is as per detail entered in Setup. (Refer to page 28)
 - The detail may be overwritten in this window. To change to data permanently, refer back to Setup.


C) Displays the Printer name.

D) Print preview the estimate.

<		Print (P)	-				
		Estima	ate				
			De	ate 01	/10/2001		001 / 00
Name Address		nekura MIYAHARA-CHO,OMIYASHI 330-0038,JAPAN	Te Tel	el(Home) l(Office) (Portable) Fax del Name	048-653 03-9999 090-111 048-653 \$10	-9999 1-1111	
E-Mail	yonekuras	@omi.subaru-fhi.co.jp		dy Model in-Code	SF5AK4R	R5WG-003	301
Part No.	unber	Part Code Name		Part	Code	ő,eà	Price
15208AA024		OIL FILTER COMPLETE		FIG-032	15208	1	7.90
22401AA550		SPARK PLUG		FIG-090	22401	4	15.24
34311AC421	ML	STEERING WHEEL ASSEM BLY		FIG-342	34311	1	190.00
15010AA096		OIL PUMP ASSEMBLY-EN GINE		FIG-032	15010	1	92.70
				Page-To	otal		305.84
				Sub-To1	al		305.84

- E) To transmit an estimate by E-mail.
- (Refer to related details on page 73)
- F) Print the estimate.
- G) This window to close. (Information on this window will be held)
- H) Use this button to change Header/Footer of the estimate.

The following window appears by the click this button. Then, rewrite the words of each title.



The title information can be saved in up to five formats.

Example:	20 = Title Change
If you want to change Vin-Code to "Vin#"2, rewrite "Vin-Code"	PatternPatternPatternPattern12345
of the Header window.	Header Footer
	Estimate
	Tel (Home) Tel (Office)
	Tel(Portable)
	E-Mall Body Model
	Part Number Part Code Name Part Code Q'ty

Chapter 8. Appendix


<u>1. To perform program update</u>

If a new CD-ROM is received, update the program according to the following steps.

1) Insert New CD-ROM

Insert the latest "Version A-1" of SUBARU-FAST2 into your PC.

- 2) Program Update
 - a) In the start menu of Windows, "SUBARU-FAST2".
 - b) In the "SUBARU-FAST2" menu, Click "SUBARU-FAST Update".
 - c) The "SUBARU-FAST Update" window appears.




Follow the instructions on the window.

2. Price display for SUBARU-FAST2

1) Overview


In order to display prices and substitute part numbers in SUBARU-FAST2, it is necessary to create "Price and substitute data" in accordance with the "Price & substitute parts data format" on page 52, and also necessary to link those data to SUBARU-FAST2.

The Price-Tool is used to link the "Price & substitute parts data" to SUBARU-FAST2. Refer to following flowchart. This process will load the data into Price-Tool, then sort and export it to SUBARU-FAST2.



Price data and s	ubstitute parts data are	not included in SUBA	RU-FAST2.	
These data have	e to be created by a dist	ributor.		
Price data	: Prices (Tw	vo different prices, ex.	dealer price and retail	price) can be created.
Substitute j	parts data : One subst	itute parts information	can be created.(15 by	/te)
File name	: SF_PRICE.DAT			
	"SF_PRICE.DAT"	has to be prepared i	n the same location	as SUBARU-FAST2
	Program, usually in	"SUBARUEX2".		
Record length	: 46byte/rec(Record	has to be punctuated	with "CR.LF" like a t	ext form.)
Layout	:			
	Part number	Price A	Price B	Substitute parts
	Part number 15byte	Price A 8byte	Price B 8byte	Substitute parts 15byte
<u>Comment</u>	15byte	8byte	8byte	15byte
<u>Comment</u>	15byte : Record length is 4	8byte 6 bytes in total.1st thr	8byte rough 15th digit are	15byte used for Part number,16
<u>Comment</u>	15byte : Record length is 4	8byte 6 bytes in total.1st the for Price A, 24th throu	8byte rough 15th digit are	15byte used for Part number,16
<u>Comment</u>	15byte : Record length is 44 through 23rd digit f digit for substitute p	8byte 6 bytes in total.1st the for Price A, 24th throu parts data.	8byte rough 15th digit are gh 31st digit for Price	15byte used for Part number,16 e B and 32nd through 46
<u>Comment</u>	15byte : Record length is 44 through 23rd digit f digit for substitute p Part number must se	8byte 6 bytes in total.1st the for Price A, 24th throu parts data. tart from 1st digit. Reg	8byte rough 15th digit are gh 31st digit for Price garding Price A and B	15byte used for Part number,16 e B and 32nd through 46 , blank area must be fille
<u>Comment</u>	15byte : Record length is 4 through 23rd digit f digit for substitute p Part number must so with "0" and figure	8byte 6 bytes in total.1st the for Price A, 24th throu parts data. tart from 1st digit. Reg	8byte rough 15th digit are gh 31st digit for Price garding Price A and B git in each area. The la	15byte used for Part number,16 e B and 32nd through 46 , blank area must be fille ast two digits are assigne
<u>Comment</u>	15byte : Record length is 44 through 23rd digit f digit for substitute p Part number must so with "0" and figure for decimal points of	8byte 6 bytes in total.1st thr 6 or Price A, 24th throu barts data. tart from 1st digit. Reg s must ends at 8th dig f prices, but do not ent	8byte rough 15th digit are r gh 31st digit for Price garding Price A and B git in each area. The la ter a decimal point in	15byte used for Part number,16 e B and 32nd through 46 d, blank area must be fille ast two digits are assigne Price A and B field.
<u>Comment</u>	15byte : Record length is 4 through 23rd digit f digit for substitute p Part number must so with "0" and figure for decimal points of Substitute parts info	8byte 6 bytes in total.1st thr 6 or Price A, 24th throu barts data. tart from 1st digit. Reg s must ends at 8th dig f prices, but do not ent	8byte rough 15th digit are r gh 31st digit for Price garding Price A and B git in each area. The la ter a decimal point in 2nd digit, blank area n	15byte used for Part number,16 e B and 32nd through 46 , blank area must be fille ast two digits are assigne
<u>Comment</u>	15byte: Record length is 44through 23rd digit fdigit for substitute pPart number must siwith "0" and figurefor decimal points ofSubstitute parts infoIf it is not necessary	8byte 6 bytes in total.1st thr 6 or Price A, 24th throu arts data. tart from 1st digit. Reg s must ends at 8th dig of prices, but do not ent ormation starts from 32	8byte rough 15th digit are r gh 31st digit for Price garding Price A and B git in each area. The la ter a decimal point in and digit, blank area n fill "0" in all digits.	15byte used for Part number,16 e B and 32nd through 46 , blank area must be fille ast two digits are assigne Price A and B field. nust be filled with "space
<u>Comment</u>	15byte : Record length is 44 through 23rd digit f digit for substitute p Part number must si with "0" and figure for decimal points of Substitute parts info If it is not necessary If it is not necessary	8byte 6 bytes in total.1st thr 6 or Price A, 24th throu barts data. tart from 1st digit. Reg s must ends at 8th dig of prices, but do not ent ormation starts from 32 of for you to set Price B of or you to set substitute	8byte rough 15th digit are r gh 31st digit for Price garding Price A and B git in each area. The la ter a decimal point in 2nd digit, blank area n , fill "0" in all digits. Ite parts data, fill spac	15byte used for Part number,16 e B and 32nd through 46 e, blank area must be fille ast two digits are assigned Price A and B field. nust be filled with "space

2) Starting up [Price indication tool]



Follow the process using your mouse to begin the program.

- a) Click the [Start] button
- ↓ b) Click the [Program] group ↓
- c) Click the [SUBARU-FAST2] group \downarrow
- d) Click the [Price Indication Tool] button

3) Linking the "Price & substitute parts data" to SUBARU-FAST2

"Price	rice Indication Tool = & Substitute part U-FAST.	s data" is	exported to	×
	Part Number	Price A	Price B	Substitute Part Number
<[Click	,
]	Impo	rt Expo	rt Close

	Part Number	Price A	Price B	Substitute 🗕 Part Number
1	13028AA102	111.00	0.01	
2	15208AA023	123.00	1.00	
3	16546AA020	12,345.60	2.00	
4	22401AA310	111.11	3.00	
5	26151FA020	76,543.21	444.44	
6	26296AA120	100.00	5,5	
7	26297AA010	1,000.00		Click

Click the [Import] in [Price Indication Tool] window.

The "Price & substitute parts data" appears in the [Price Indication Tool] window.

Then click the [Export].

	Part Number	Price A	Pr	ice B	ostitute. St Number
1	13028AA102	Price Tool	×	0.01	
2	15208AA023			1.00	
3	16546AA020	Completed		2.00	
4	22401AA310	OK	OK		
5	26151FA020			444.44	
6	26296AA120	100.00		· \	٦ .
7	2629744010	1 000 00	1,000.00		


When you see message "Completed" message, click the [OK].

	Part Number	Price A	Price B	Substitute . Part Number
1	1302844102	111.00	0.01	
2	15208AA023	123.00	1.00	
3	16546AA020	12,345.60	2.00	
4	22401AA310	111.11	3.00	
5	26151FA020	76,543.21	444.44	
6	26296AA120	100.00	<u> </u>	
7	26297AA010	1,000.00	Clic	<

Click the [Close].

*The "Price & substitute parts data" is now linked to SUBARU-FAST2. The prices selected in the SUBARU-FAST2 Setup menu (Price A or Price B) are displayed on "Retrieve Part number " window. (Refer to page 12.)

3. To Retrieve interchangeable part numbers using part number



Follow the following process using your mouse to begin. a) Click the [Start] button ↓ b) Click the [Program] group ↓ c) Click the [SUBARU-FAST2] group ↓ d) Click the [Retrieve ITCA Part Number] button

other parts 3 6 Available together with other parts 35046FE010 1 JOINT COMPLETE-GEAR 35046	En	ter Part Numb	er	35041FE000				press [Enter] key eyboard.	
other parts IFT 2 6 Available together with other parts 35044FE020 1 SPACER-SHIFT LEVER 35044 3 6 Available together with other parts 35046FE010 1 JOINT COMPLETE-GEAR 35046 4 6 Available together with other parts 35035FE070 2 BUSHING 35035		Part Number		ITCA part is			1	Part Code Name	1
other parts other parts 3 6 Available together with other parts 35046FE010 1 JOINT COMPLETE-GEAR S046 4 6 Available together with 35035FE070 2 BUSHING 35035	1	35041FE000	6	-	Exist	35041FE010	1		35041
other parts SHIFT 4 6 Available together with 35035FE070 2 BUSHING 35035F	2		6	-		35044FE020	1	SPACER-SHIFT LEVER	350441
	3		6	-		35046FE010	1		35046
	4		6	-		35035FE070	2	BUSHING	350350

Input relevant parts number to be retrieved, then press [Enter] key in the keyboard.

If the ITCA Bulletin exists, the [Exist] button appears. (Only for the Version A)

In order to check detailed data for ITCA Bltn, click the [Exist].

When you see "Model Code List", then select the Model to check and click the [OK]. All the process completed, then detailed data for ITCA Bltn appears.

4. Automatic Quantity indication

The quantity used for one vehicle will be automatically imported to the quantity of retrieved parts by

one action.

BODY

GRADE

1

2

4

W

TS

Q'ty

12

12

Part Code

M0000 M1200

L3350

ENGINE

Part Code Name

OLT & WASHER ASSEMB

sus

ANGE BOLT

SHER

251

N/S

one a	•									-	
	letrieve Part			0						_ 🗆 🗡	
	Edit(<u>E</u>) Ju z . 123- 1000		<mark>"ool①</mark> UOE(型) Help(<u>H</u> Translate①	IJ.	F5	_					Follow the process using your mouse
Vin-Co		JF	Ref. of another $model(\underline{A})$			EBVA	C	Click			
		101	Wide range retrieval($\underline{\mathbf{R}}$) Automatic Q'ty indication	<u>@</u>						J	a) Click the [Tool] menu
	Change	т	Automatic retrieval of IT	CA parts n	umber() te U4				ode NL		(Or click the 123/ button.)
Color		<u> </u>	D7V GREEN M		Trim Code		B10		GHT GRAY		\downarrow \checkmark
BODY	U		ENGINE 25:		TRAIN 4	W] 1	MISSION	MT		b) Click the [Automatic Q'ty indication]
GRADE	· ·	1	sus N/S	3		r	1				b) chek die [/ diomate Q ty maleation]
	Part Code	Q'ty	Part Code Na	me	Part Number	ITCA	FIG	Q'ty	Remarks		
1 1	M00004	1	FLANGE BOLT		901000040		606	12			
2 1	M120036	1	BOLT & WASHER AS	SEMB	901120036		2.63	12		- 1	
			LY								
3 1	L33505X	1	WASHER		900335056		201	4			
4										- 11	
										0.00	
										11.	
Autom	atic Q'I	u ind	iestion						×		
Acton	and or	y ind	ication								
Q't	y req	[ues	ted per ve	hicl	e will be	set	up.				Details for processing conditions
											appears and select (click)
											appropriate conditions, then
Plea	ase s	ele	ct the con	diti	ons from	follo	wing	ß.			click the [OK].
							-		0.1	1	enek ule [OK].
									Select (cli		
– Co	nditi	on	to set qua	ntit	v				condition	is	
					-			\overline{Z}			
6											
	Auci	Jmac	ic Q'ty se	SCUIN	ig for all	Iter	us.;				
			ic Q'ty se		-					fton color	sting conditions
	the	col	umn for re	equir	ed quanti	ty pe	er ve	ehic.			cting conditions,
	is :	SPAC	E or 1.							lick here	.
								\sim			
					OK		Ca	ncel			
				_							
	Retrieve Part Edit(E) Ju		r Fool(<u>T</u>) UOE(<u>U</u>) Help(<u>H</u>	+) —							
			U 💷 🖼 🚨 🚨 🚨		1						The quantity used for one vehicle will
Vin-C			GG65553G-804300			EBY4J	Model (Code	G11	1	be automatically imported to the
		· ·	0207		-				,		quantity of retrieved parts by one action
	Change		0207 07V GREEN M	Dest	ination Code U		Main Oj B10		ode NL GHT GRAY		to quit.
Color	code	ļ	OV JOKEEN N		Trim Code		le 10	, hu	SHI GRAI		io quit.

The quantity used for one vehicle will be automatically imported to the quantity of retrieved parts by one action.

//.

MISSION MT

Remarks

4W

ITCA

FIG Q'ty

606

263

201

TRAIN

Part Number

901000040

901120036

900335056

5 To attach Memos and access to the data

Each parts number and each illustration can be attached with relevant Memos for your convenience.


The Memos can be accessed on Retrieve Parts Number window, Parts Number Selection window, and Parts Illustration.

The Memos can also be selected from the following two procedures.

- When used for individual memos, set[User's Memo] in configuration to [Not link]. In this case, the memos are saved in the local PC for personal use.
- When used for common/shared memos, set [User's Memo] in configuration to [Links]. The memos can be saved in the server for sharing with other users.


1) Setting Memos function


A. How to set when used for individual memos



B. How to set when used for common/shared memos

a. Configuration setting





As for the memo entry, refer to"2) To attach Memos"

Activate [Setup] and click [Part 4].



Click [Browse] and specify the server in which common memos are saved.

Click [OK] button.

Ţ


b. Preparation

*This procedure is required for the first time only. (Once set, there is no need to repeat in the second and

subsequent operations.)

- (1) Insert "SUBARU-FAST2, Version A-1" CD-ROM into relevant CD-ROM Drive.
- (2) Double-click the [My Computer].






(4) Double-click the [Sffastpg].

🕑 EA			
Eile Edit View Favorites Iools	Help		At .
G Back ▼ (2) -	iearch 🤥 Folders 🛄 🕶		Double-click
CD Writing Tasks	Files Currently on the CD	\sim	
Write these files to CD	jiko	sffastpg	
File and Folder Tasks	sfsort	subaruex	
Web Share this folder	cdinf.ini Configuration Settings 1 KB	complogo.jpg JPEG Image	
Other Places	Fignodt.txt Text Document 11 KB	Itca_data.txt Text Document 6,478 KB	
 My Documents My Network Places 	sffasth File 551,194 KB	sffastrh File 89,850 KB	
Details 😵	SFMESSDT File 60 KB	source_data_h.txt Text Document 129 KB	
	source_data_rh.txt Text Document 0 KB	tekiolh.txt Text Document 2,434 KB	
	tekiorh.txt Text Document 544 KB		~
15 objects			

(5) Double-click the [Win].



(6) Double-click the [Memo_link].

😂 E:\sffastpg\win			
Eile Edit Yiew Favorites Iools			A.
Ġ Back 🔹 🕥 🕤 🏂 🔎 Se	earch 😥 Folders 🔢 🔹		
Address 🗀 E:\sffastpg\win		~	Double-click
CD Writing Tasks	Files Currently on the CD	\sim /	
Write these files to CD	auth	Memo_link	
File and Folder Tasks	figgname.txt Text Document 1 KB	igname.txt Text Document 16 KB	
Publish this folder to the Web	pcdname.txt Text Document 1,263 KB	SETUP.EXE	
Other Places 🙁	-		
Carl Sifastpg Carl My Documents 영국 My Network Places			
Details			
5 objects			

(7) Double-click the [MemoLinkMDB_SetUp.bat].

🖻 E:\sffastpg\win	
Eile Edit View Favorites Iools Help 🦧	
G Back + 🕤 - 🏂 🔎 Search 🎼 Folders 💷 -	
Address 🗀 E:\sffastpq\win 🕑 🔁 Go	Double-click
CD Writing Tasks	Double click
With these files to CD Memory Link MBB	
File and Folder Tasks	
Mate a new Folder Publish this folder to the Web	
Other Places 🛞	
Constraints Cons	
Details	
5 objects	


(8) Confirm that [MEMO_LINK.MDB] has been created in the folder [SUBARUEX2] within the local disk.

C:\SUBARUEX2			1
Eile Edit View Favorites Iools Help		A.	
G Back 🝷 🕥 🚽 🏂 🖉 Search 📂 Folders]-		
Address 🗁 C:\SUBARUEX2		💌 🔁 Go	
Folders ×		^	
		10.02.22.sfa SEA Eile	
🔳 🕒 My Documents		3 KB	
🖃 😼 My Computer			
а 🍘 372 порру (А.)	0.2.12.sfa 🖉 📄	SORT.MDB Microsoft Access Application	
🖃 🥯 Local Disk (C:)		48 KB	
apcard		_	
	EMO_LINK.MDB crosoft Access Application	CT.MDB	
	KB	82 KB	MEMO LINK.MDB
PBS Pogram Files			MEMO_LINK.MDD
	_price.dat	SF_ORDER.DAT DAT File	
		2 KB	
E C SUBARUEX2			
		UNINSFAE.INI	
Temp DA		Configuration Settings 1 KB	
🗷 🚞 WINDOWS			
		SFFASTEW.INI	
	onfiguration Settings	Configuration Settings	
• 3 (G:)			
н 🌋(L:) ДР	PINFO.INI	STRE_SPA.DLL	
■ 3 (M:) ■ 3 (Y:)		Application Extension	SUBARUEX2
	IRE GER.DLL	STRE FRE.DLL	
		Application Extension	
🚽 Danula Dia		×	
50 objects (Disk free space: 8.19 GB)		5.94 MB 😼 My Computer	

- (9) Save the [MEMO_LINK.MDB] created in (8) in the server specified for saving common memos in
 - a. Configuration setting in page 58.

<u>!!!</u> Useful tips : When sharing currently used individual memos,

(1) Change the [MEMO.MDB] in the local disk [SUBARUEX2] to [MEMO_LINK.MDB].





(2) Save the changed [MEMO_LINK.MDB] in the server.

(3) Set [User's Memo] to [Links] in setting configuration and specify the above server for links.

y:\FAST	ectorv for data say on ssion is done by us		Browse	Specify the server in which	
' software.	on message is indic on.	ated in the cas	e of E-mail	[MEMO_LINK.MDB] is save	:d.
		OK	Cancel		

2) To attach Memos





Part Number

Part Number

Part Number

Clear

Click the [Close].

×

🎊 412 = User's Memo 🛛 🔀	
Add	
Change or Delete	
Display	
Copy a link memo	
Close	

Model Code Memo

Model Code

Model Code Memo

Memo

Click the [Close].

This is the end of Memo attachment process.

Add

Click

V _{Close}

3) To revise / delete Memos

A. To revise Memos

	Retrieve Parts Number					
File(<u>F</u>)	Edit(<u>E)</u> Jump(<u>J</u>) Tool(<u>T</u> Insert()) UOE(U) Help(<u>H</u>)		Follow the process using your mot	ise:
Vin-		Del	Body Model	Model Code ?		
		Ceri+V	body noder		a) Click the [Edit] menu	
Mode		×	Trim Code	Main Option Code		
010	Edit the user's memo(<u>M</u>)		Irim Code	I	b) Click the [Edit the user's met	mol
					b) chek die [Edit die dser 5 me	linoj
	Part	-++			(Or click the 📴 button)	
	Code Q'ty	Part Cd Wa	ame Part Number	ITCA FIG Q'ty Remarks		
1			\mathbf{X}			
			Click	······	!!! Useful tips: How to rev	vise
			CIICK		Memos at Illustrations.	
					Memos at mustrations.	-
					Very should employ the server and	
					You should apply the same pro	cess
					at Parts Illustration window.	
					0.00	

All = User's Memo	Click the [Change or Delete].
Change or Delete	
Display all memos	Click
Copy a link memo	
Close	


🧱 418 = Cha	nge(or delete)	The User's Memo				
<u>Change (</u>	or delete	The User's Men	<u>no</u>			
Delete	Model Code	Part Number FIG	Category		User's Memo	
	G11	32231AA800	Part	abcdefg12345678	9	
					-	
			Do	uble-click		
De	lete All				Rewrite	Close
De	Tece All				New210e	

Double-click the relevant data item in the "User's Memo" column.

Ś	😫 418 = Char	nge(or delete) '	The User's Memo			×
	Change ()	or delete)	The User's Men	<u>10</u>		
	Delete	Model Code	Part Number FIG	Category	User's Memo	
		G11	32231AA800	Part	abcdefg123456789xxxxx	
					When completed, Click here	
	De	lete All			Rewrite V Close	

SUBARU-FAST 2 Click the [OK].

5			The User's Memo) The User's Mer	10		Click t
l	Delete	Model Code	Part Number FIG	Category	User's Memo	
l		G11	32231AA800	Part	abcdefg123456789xxxxx	
					Click	
	De	lete All			Rewrite Close	



Click the [Close].

This is the end of Memo revision process.


Click the [Close].

Click the [Rewrite], if revision

completed.

B. To delete Memos

Memos at Illustrations.	🕵010 = Retrieve Parts Number		
Vin- Defret(0) Off Body Hodel Model Code ? Node Vin- Prete(0) Off/Y Prete(0) a) Click the [Edit] menu Colo Edit the user's memoly Trim Code ? b) Click the [Edit the user's memo] (Or click the re Or click the re I I I I Code O'ty Part Number ITCA FIG O'ty Remarks Click here Click here I III Useful tips: How to delete Memos at Illustrations. You should apply the same process at Parts Illustration window. III Useful apply the same process at Parts Illustration window.	File(E) Edit(E) Jump(J) Tool(E) UOE(L	Help(H)	
Vin- orty Node Series Colo Edit We user's memoly Part O'ry Part O Click here Click here Clic			Follow the process using your mouse:
Node Main Option Code Colo Trim Code Trim Code b) Click the [Edit the user's memo] Code O'ty Part Q'ty Part of the user's memo] Click here O'r click the [Edit tips: How to deletee Memos at Illustrations. You should apply the same process at Parts Illustration window.	Vin- Out() Otrl+X	Body Model Model Code	
Cold Edit the user's memo(M) Part O'rty Part O'rty Part O'rty Click here O'rty Click here III Useful tips: How to delete Memos at Illustrations. You should apply the same process at Parts Illustration window.		Main Optio	a) Click the [Edit] menu
b) Click the [Edit the user's memo] (Or click the Interview of the user's memo] (Or click the user's memo] (Or click the Interview of the user's memo] (Or click the user's memo] (Or click the user's memo] (Or click the user's memo] (Or click the user's memo		Trim Code	\downarrow
1 Click here Image: Cli	Edit the user's memo(<u>M</u>)		b) Click the [Edit the user's memo]
Click here Image: Click here <		d Name Part Number ITCA FIG Q'1	y Remarks (Or click the 📑 button.)
Image: Second state of the second s	1		
		Click here	Memos at Illustrations. You should apply the same process
0.00			at Parts Illustration window.
0.00			
			0.00




🎇418 = Change(or delete) The User's Memo _ 🗆 × Change(or delete) The User's Memo Model Code Part Number FIG Delete Category User's Memo 32231AA800 V G11 Part abcdefg123456789 Click Delete All 10 Close Rewrite


Click the check box in "Delete" column of the relevant data for deletion.

* In order to delete all items at one action, click the [Delete All] and follow the process on the next page.

		The User's Memo) The User's Mem	<u>10</u>				<u>- 0 ×</u>	Click the [Rewrite].
Delete	Model Code	Part Number FIG	Category		User's Memo			
2	G11	32231AA800	Part	abcdefg123456789				
						Click		
					/			
De	lete Àll			_	Rewrite	Close		



🕺 418 = Char	nge(or delete)	The User's Memo			Click the [Close]
Change (or delete) The User's Men	<u>10</u>		
Delete	Model Code	Part Number FIG	Category	User's Memo	
				Click	
De	lete All			Rewrite Close	



Click the [Close].

This is the end of Memo deletion process.

4) To access Memos

A. To access Memos in Retrieve Part number data

File(E) Edit(E) Jump(U) Tool(T) UOE(U) Help(H)	
6.6	
Vin-Code JF1GG65553G-804300 Body Model GGEBY4J Model Code G11	
Model Change 0207 Destination Code U4 Main Option Code NL	
Color Code 07V GREEN M Trim Code B10 LIGHT GRAY	
BODY W ENGINE 251 TRAIN 4W MISSION MT	
GRADE TS SUS N/S	
Part Q'ty Part Code Name Part Number ITCA FIG Q'ty Remarks	
1 32231 1 GEAR-1ST DRIVEN 32231AA800 Exist 115 1 124.00 , User's Memo 124.00	
2 Click	

When retrieving part numbers, [User's Memo] button appears in the Part Number column if Memo data exists. Click the [User's Memo] data to access relevant Memo.

- *When you are at the Parts Number Selection window, [User's Memo] buttons also will appear.
- *If you are in Memo attaching process, [User's Memo] button will appear in the Parts Illustrations window.

🎇 410 = User's Memo	×	
abcdefg123456789		Use Cli
	Close	

User's Memo will appear. Click the [Close] to close the window.

B. To browse all attached Memo list and list print

File(P) Edit(Q) Jump(Q) Tool(D) LOE(Q) Help(H) File(P) Delete(Q) Del Delete(Q) Cut(T) Cut(T) Cut(T) Body Model Nodel Code ?
Delete(0) Del Vin- On(0) Othy Body Nodel Nodel Code 2
Vin- Cut(T) Cut(X) Body Model Model Code ?
Mode Sort(S) Main Option Code
Colo Modify@
Edit the user's memo(<u>M</u>)
Part Q'ty Part Co Wame Part Number ITCA FIG Q'ty Remarks
Click
0.00

Follow the process using your mouse:

a) Click the [Edit] menu \downarrow

b) Click the [Edit the user's memo]

(Or click the button.)

🎊 412 = User's Memo 🛛 🛛 🔀	
Add	
Click	
Display all memos	
Copy a link memo	
Close	

Click the [Display all memos].

🤮 420 = User's	Memo List				_ 🗆 ×
User's M	emo List				
Model Code	Part Number FIG	Category		User's Nemo	
G11	32231AA800	Part	abcdefg123456789		
				I	
				Click	
				Click	
				Print	lose

- Memo list will appear. Click the [Print] to print the list.
- *[Close] button to close the window if no print needed.

Set Print Area	×
Both Part Number and FIG-NO. can be accessed using only the first digit.	
Print the part memo	
(by your specified model code and part number)	
Click Model Code G11 Part Number 32231AA800	
C Print the part memo	
(by your specified part number) Print Area	
Part Number	
C Print the illustration memo (by your specified model code)	
-Print area	
Model Code	
\bigcirc Print the illustration memo (by your specified FIG-NO.)	
Print area	
FIG 114	
C Print all memos	
OK Cance	21

Select	relevant	area,	then	fill	the	blank
items needed and click the [OK].						


Printer Name FFSON LP-8600FX T Properties	🥵210 = Print	X	
Name EPSON LP-8600FX Properties	-Printer-		
	Name	EPSON LP-8600FX	
Preview OK Cancel	Previ	.ew OK Cancel	
Click		Click	

Click the [OK] to start printing.

22 = Set Print Area	
${\rm Set\ Print\ Area}$ Both Part Number and FIG-NO. can be accessed using only the first digit.	Click the [Cancel] to close the window.
• [Print the part memo] (by your specified model code and part number) Print area Model Code G11 Part Number 32231&&& 32231&& A800	
<pre> Print the part memo (by your specified part number) Print Area Part Number Part Number Print the illustration memo (by your specified model code) Print area Model Code Print area Fig II4 Click OK Cancel </pre>	

∰420 = User's <u>User's M</u> e					
Model Code G11	Part Number FIG 32231AA800	Category Part	abcdefg123456789	User's Nemo	
				Click	
				Print C.	lose

Click the [Close] to close the window.



Click the [Close] to close the window.

This is the end of Memo attachment process.

* Memo list view / print process can be also done on Parts Illustration window.

5) Updating Memos

To retrieve the memos saved in the server into your own SUBARU-FAST for updating, please click this button as shown below. (This procedure is applicable only to those who use the shared memos.)


File(t) Edit(t) Jump(d) Tool(t) LOE(t) Image: Up tool and the point Image: Up tool and the point Image: Up tool and the point	Follow the pro
Vin- Cot() Cot(+X Body Model Model Code ?	a)Click the [
Paste(P) Ctr/+V	
Mode Sort(S) Nain Option Code	\downarrow
Colo Modify(E) Trim Code Edit the user's memo(M) Trim Code	b)Click [Edi
	(Or click th
Part class Parts Parts Vienes TTCA FTC class Persents	
Code Q'ty Part Co Wame Part Number ITCA FIG Q'ty Remarks	
Click	
0.00	

ocess using your mouse:

[Edit] menu

t the user's memo]

ie 📃 button.)



Click the [Copy a link memo].

*By clicking this button, the memo information saved in the server can be retrieved into your own SUBARU-FAST.

6. UOE output format (Order data output format) (UOE : User Order Entry)

SUBARU-FAST2 has the potential to connect with other systems.

Retrieved part numbers and quantity can be output as data for ordering or other purposes. By clicking [UOE] on "Retrieve Parts number" window, the system creates formatted data shown as follows. The data can be used for data transmission of parts orders between dealers and distributors, if such systems as "On-line ordering system" exist. SUBARU-FAST2 just provides with "interface" to other systems. Each system has to be established separately.

File name	: SF_ORDER.DAT
Record length	: 19byte/rec (Record punctuates with "CR.LF" like a text form.)
Layout	: Part number Order quantity 15byte 4byte
Comment	: Part number must start from 1st digit. Regarding Order quantity, blank area must be filled with "0", and figures must end at 4th digit in area.

7. E-mail transmission process for estimates

- 1) Recommendation of applications for E-mail transmission
 - <Microsoft group>

Microsoft Exchange, Microsoft Outlook, Microsoft Outlook Express

<Netscape group>

Netscape Messenger

SUBARU-FAST2 does not contain E-mail applications. The process is available only with computers which already have E-mail transmission capability.

2) Operation

If a recommended E-mail application being installed, you can find the example shown as follows.

A. Settings for E-mail transmission

	Part 1	Part 2	Part 3	Part 4
<pre>ink with public memo</pre>		10110 0	1020 0	
<pre>Not link Links Drive & directory for data save f:\FAST Click Browse mail transmission is done by using the recommendation software. Confirmation message is indicated in the case of E-mail</pre>	ser's Memo			
Links Drive & directory for data save f:\FAST Click Browse mail transmodel For transmission is done by using the recommendation software. Confirmation message is indicated in the case of E-mail	ink with public	memo		
Drive & directory for data save f:\FAST Click Browse mail transmost transmission is done by using the recommendation software.	C Not link			
f:\FAST Click Browse mail transmotion E-Left transmission is done by using the recommendation software.	C Links			
mail transmission is done by using the recommendation software.	Drive & <u>d</u>	irectory for dat	ta save	
mail transmission is done by using the recommendation software.	f:\FAST	Click		Browse
E-L-1 transmission is done by using the recommendation software.				
E-L-1 transmission is done by using the recommendation software.				
Confirmation message is indicated in the case of E-mail				
		ission is done	by using the re	ecommendation
	J			
			indicated in th	he case of E-mail
	CI analaraa	1011.		

Start the setup window, then check the check-box as shown on the left. (If no recommended E-mail application exists, DO NOT check

(If no recommended E-mail application exists, DO NOT check the check-box)

B. Operations for E-mail transmission

2010 = Print	×
Customer Dealer	
Name	Tel (Home) 048-653-0000
Shunji Yonekura	Tel(Office) 03-9999-9999
Address	Tel(Portable) 090-1111-1111
1-1CHOME, MIYAHARA-CHO, OMIYASHI ,SAITAMA 330-0038,JAPAN	Fax 048-653-2222
	Model Name S10
E-Mail yonekuras@omi.subaru-fhi.co.jp	Body Model SF5AK4R
	Click 01
Printer EPSON LP-92005 V Propertie	13
Print Preview E-Mail	Print Cancel

The following process for SUBARU-FAST2 will guide you to appropriate handlings.

- a) Retrieve parts number (Refer to Chapter 6 for detail)
- b) Click the button in the "Retrieve Parts Number" window. (The Print window appears)
- c) Click the [E-Mail] as shown on the left.

∰420 = Confirmation of the E-Mail	transmission	X
SUBARU-FAST2 may stop i agree in MAPI standard. Contive?		OK
	Click	Cancel
This message isn't in	ndicated from now o	n.

Read a message, and then click the [OK].

 * MAPI standard-based E-mail is recommended as described on page 73.

New Message						-1
	Format Iools Compose Help					
-1Send 🗠 🛪 🔅	6 🛍 💁 🛍 🖉 🖉 🖼	i				
0000	to enter carbon copy recipients > to enter blind carbon copy recipients >					
Courier New	<u>т 10 т 🖳 в и Ц 🍭 🕴</u>	目信信目	1 I - 0 I			
		Estimate				
			Date:January	11,2001		
Name Address E-Nail	:Shunji Yonekura :1-1CHOME,MIYAMARA-CHG ,SAITAMA 330-0038,JAJ : <u>yonekuras@omi.subaru</u> .	O, OMIYASHI PAN	Tel(Home) Tel(Office) Tel(Portable Fax Nodel Name Body Model Vin-Code	:048-6 :03-99 :090-1 :048-6 :510 :S10 :SF5AB	53-0000 99-9999 111-1111 53-2222	
Part Number	Part Code Name		t Code	Q' ty	Price	
1520848024	OIL FILTER COMPLET		-032 15208	1	7.90	
2240188550	SPARK PLUG	FIG	-090 22401	4	15.24	
34311&C421ML	STEERING WHEEL ASSI BLY	EN FIC	-342 34311	1	190.00	
1501022096	OIL PUMP ASSEMBLY-) GINE	EN FIC	-032 15010	1	92.70	
			Sub-Total		305.84	

The results from retrieval process (estimate format) are transmitted to your E-mail application.

Add appropriate information such as the customer's mail address, then send this E-mail.

<u>A recommended Setup for E-mail application</u> Font: "MS Gothic" or "Courier New" Font size: " 9" or "8"

If these fonts and font sizes not set up in place, you should lead to send transmissions with unreadable layout.

Image: Superior S	a) Click the [I ("Save as t b) Fill up "fil c) Click the [S	E-Mail] on the Print window. ext data" window appears) le name" blank box.
Location & Name Change	Date Tel(Home) Tel(Office Tel(Portab Fax Nodel Name Body Model Vin-Code t Code	 d) Check the "Location & Name" box, and then click the [Close]. *The results from retrieval process (estimate format) will be saved as text data when click the [Close]. * If the file name and location change needed, click the [Change]. e) Start E-mail application. Then, attach the estimate data saved as text data to relevant E-mail transmission manually. (Refer to manuals for your E-mail applications for detail)

8. To add your "Logotype" to estimates

If logotype attachment to estimates needed, create logo data along with the following format.

<Format for logotype data>

- 1) File name : "Complogo.BMP" or "Complogo.JPG"
- 2) File location : The same location as SUBARU-FAST2 program (Usually, "SUBARUEX2") installed
- 3) Logotype size : "Size, 60mm (side) X 25mm (vertical)" or "Ratio, 12 (side) : 5 (vertical)"

*This sample for the logotype data is included in the CD-ROM. The logotype data should be modeled.

!!! <u>An example for logotype</u>		
A sample data will show you how it is applied.		
F	<an estimate="" log<="" th="" the="" with=""><th>gotype></th></an>	gotype>
	Estimate Date 01/12/2001	001 / 001
	Perm Stramp1 i Yondbutka Pollmewic 044-653. PollWarm Ankers 1-1010000 gr H1000000000000000000000000000000000000	9999
<sample cd-rom="" in="" logotype="" the=""></sample>	Fact Rodes Fact Code Hann Fact Code 1S20BAA024 OIL FILTER COMPLETE FIG-002 1S200	9'wy Fains 1 7.90
Sample logotype in the CD-ROM >	22401AA550 3PAPK FUIG FIG-090 22401	4 15.24
	34311AC421ML STEERING WHEEL ASSEM FIG-342 34311	1 190.00
	BLY 15010AA096 01L PUMP ASSEMBLY-EN FIG-032 13010 GIME	1 92.70
	Page-Total Sub-Total	305.84
	Total	305.84
	Tax	
	Grand Total	305.84
SUBARU \		
File name : Complogo.JPG		
The name . Complogo.si O		
	Heno	Grand Total
		305.84
بأر	STERASST OF JAPAN, 3	
	Tel 03-3999-9999	
	SUBABLI	15HI-INIBURU, 160-8316,JAFAN
L		


9. To retrieve model codes

1) Create a short-cut icon

SUBARU-FAST2 does not create a short-cut icon because "Retrieve model code" is a tool for limited users. If use of short-cut icon needed, create it manually.

a) Start "Windows Explorer".

b) Click the folder name of SUBARU-FAST2 program. (Usually, "SUBARUEX2")



c) Click the "SFME1000.EXE" file, then drag the icon onto Desktop.



- 2) Operation
 - a) Double-click the short cut icon for "SFME1000.EXE". ("Retrieve model code" window appears)b) Enter part number into the [Enter Part Number] blank box.

2010 = Retrieve Model Code File(E)				
9				
Enter Part Number	809218250	>		
Part Number	Part	de 🗌	Remarks	
Part Code Name Part Color				
Model FIG Destinat	Product. Applice	Input	le OP No	otes Difference
				p
	n cell number when you indi	cate illustration.		

c) When the Enter Key is selected, the applicable Model codes are retrieved.

3									
Ent	er Part	Numk	ber						
Par	t Number		0	09218250	Part Code	K21025 R	emar ks		_
	t Code ≱ t Color	Iame		V BEL		Spec.			_
	Node1 Code	FIG	Desti nat	Product. Date	Applicable Model	Applicable	OP	Notes	Difference
6	911	094	EXC USA	A 20000401- -20010731	161 +20#				
7	611	094	EXC USA	B 20010401- -20021031	161 +20# +251				
8	510	094	EXC USA	200003 - -200009	£J202 +EJ205				
9	510	094	EXC USA	200010 - -200100	(BASE+HUN).EJ202 +EJ 205			EJ202:EC E K	
10	S10	094	EXC	200109 -	EJ202 +EJ205			EJ202:EC E V V9	

* "Destinat" column means the following. EXC USA : CD-ROM data of "LH, RH"

USA : CD-ROM data of "US"

* Illustration can be indicated if you click the line number of the retrieval results.

🤮 450 = Retrieve	Model	Code			
File(<u>F</u>)					
9					
Enter Part	Numk	er			
Part	C	lick	þ	Part Code	K21825
Part	C.	пск	BEL	Т	
Part Co				Par	t Spec.
Code	FIG	Desti nat	Product. Date	Applicable Model	Applics
6 G11	094	EXC	A	161 +20#	
		USA	20000401-		
			-20010731		
7 G11	094	EXC	в	161 +20# +251	

10. Messages in option languages for SUBARU-FAST2

Overview

Messages from SUBARU-FAST2 can be viewed in English, German, French and Spanish. However, other languages cannot be viewed because description data is not defined in the CD-ROM.

If messages for option languages (other languages) needed, you must create description data through either process described below.

- a) To create description data using "Make Description Data" tool in SUBARU-FAST2.
 - Description data should be saved in the same location as SUBARU-FAST2 program, usually in the "SUBARUEX2" folder.
- b) <u>To copy description data provided by distributors into hard disk(s)</u> (If one user could create description data, other users can share the data for option language using description data copied). Description data has to be saved in the same location as SUBARU-FAST2 program, usually in "SUBARUEX2" folder.

Option language display for SUBARU-FAST2

In order to define description data by your own, refer to the following process 1) and 2). In order to copy predefined description data, refer to the following process 1) and 3).

1) Setup for option language display

a) Start the Setup window.

b) Click the "Other" in "Language for display" field.

= Setup				
Part 1	Part 2	2 Pa	rt 3	Part 4
CD-ROM driv	re			
1st E:\			Bro	wse Delete
2nd V:\S	FCDLR2		Bro	wse Delete
3rd V:\S	FCDLR1		Bro	wse Delete
4th			Bro	wse Delete
5th			Bro	wse Delete
6th		Click	Bro	wse Delete
7th			Bro	use Delete
8th			Bro	ouse Delete
Language fo Language(1s	(t)			\geq
Engl:		an C French	🔿 Spanis	h 🔿 Other
Language (2 n	d) Font			\sim
C Engl:	ish 🖸 Germa	an C French	C Spanis	


c) Click the [Font], then select relevant font name. (SUBARU-FAST2 will be viewed at this font)




d) Select an appropriate language in "Language (2nd)" field. (In case you have not define all description data, the remains will be displayed in this language)

Part	1	Pa	rt 2	Pa	rt 3	1	:	Part 4
D-RON	drive							
1st	E:\					Bro	wse	Delete
2nd	V:\SFC	DLR2				Bro	vse	Delete
3rd	V:\SFC	DLR1				Bro	wse	Delete
4th			Char	ose a f		:+-	se	Delete
5th			Choo	ose a i	avor	ne	se	Delete
6th			lang	uage			se	Delete
7th							se	Delete
Sth						Bro	use	Delete
-	ge for (ge(1st)	display		/				
0	English	C Ge	erma 🔿 🔿	French	C Sp	anisł	n (*	Other
angua	ge (2nd)	12	and I					


- e) After selecting language, click the [OK]. (Setup window to close)
- 2) To define description data
 - a) Start "Windows Explorer".
 - b) Click the folder name for SUBARU-FAST2 program. (Usually, "SUBARUEX2" folder)



c) Double-click the "SFCT0000.exe" file. ("Make Description Data" tool will be started)




d) "Make Description Data" tool will start. Click relevant description group.




Sample :

When you want to define "menu-bar" data in each window for SUBARU-FAST2, click the [Menu bar].

e) Click the [Open].



f) Define description data into "Make description" field.



g) Click the [Revise] after defining description data.

	Key		Original description	Make description
1	010	000	File	ファイル
2	010	005	Clear	クリア
3	010	010	Open	開く
4	010	015	Data save	保存
5	010	020	Print	Click
6	010	025	Close	CIICK
7	010	100	Edit	
8	010	105	Insert	挿入 🔪
9	010	110	Delete	削除
10	010	115	Cut	切り取り 🔪
11	010	120	Paste	貼り付け
				Open 🔍 🛛 Revise 💭 Close

English description is indicated in the "Original description" column.

Enter optional language description corresponding to the English description.

h) When Description data defined, then the following message will appear.



ou

.ga

Click the [OK]. Then, close "Make Description Data" tool program by clicking the [End] after [Close].

(Yes\∰

 $\mathsf{No}\left(\underline{\mathsf{N}}\right)$

!!! <u>Useful Tips: File name for Description data</u> Description data will be created by the following file name. 🥵500 = Make Description Data / Menu × Make Description data for option language Sftitle.txt sfspec.txt Title Bar Spec Title sfmenubr.txt sffignm.txt Menu Bar Fig Name sfpcdnm.txt sfbutton.txt Part Code Name Button Name sffiggnm.txt sfitem.txt Item Name Fig Group Name sfmessag.txt Message End These files are created in the same location as SUBARU-FAST2 program, usually in "SUBARUEX2" folder. If you want to provide with description data, copy these files into floppy disk(s).

Image: Subaru-FAST 2 Add "++" at the place you need to insert a line feed. (However, items except for the message cannot start a new paragraph) Sample: Image: Subaru-FAST 2 Image: Subaru-FAST 2</

3) Copy of the distributed description data

- a) Insert a floppy disk with the description data into your personal computer.
 b) Copy files inside the floppy disk in the following location.
 Location : The same location as SUBARU-FAST2 program (Usually in "SUBARUEX2")

The function of the part name selection can't indicate an option language by a limit of the technology. Therefore, enter a word along the language of "Language (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection without the part name selection (2nd)" column on the part name selection (2nd)" column on the part name selection (2nd)" column (2nd)	!!! Limit of the option language display		
Part 1 Part 3 Part 4 CD-ROB drive Browse Delete Browse Delete Browse Delete Browse <t< th=""><th>Therefore, enter a word along the language of "Lan window.</th><th>guage (2nd)" column on</th><th></th></t<>	Therefore, enter a word along the language of "Lan window.	guage (2nd)" column on	
Word 1 Word 2 ENDERGY NGINE ENTRY Enter a word along the language of "Language (2nd)" column		1	
Image: Selection Image: Selection Find Image: Selection Word 1 Word 2 Word 1 Word 2 Image: Selection Image: Selection Word 1 Word 2 Image: Selection Image: Selection Image: Selec		1	art 3 Part 4
Image: Selection Image: Selection <td></td> <td></td> <td>Proved Particular</td>			Proved Particular
Word 1 Word 2 Word 1 Word 2 Word 1 Word 2 Word 1 Word 2 END Enter a word along the language of "Language (2nd)" column			
Word 1 Word 2 Word 1 Word 2 Word 1 Word 2 END Browse END Browse ENDRGY Enter a word along the language of "Language (2nd)" column FITRY Enter a word along the language of "Language (2nd)" column			
Find Word 1 EN Word 2 Browne Delete Browne Deleter Browne Delete		4th	
Find Word 1 Word 2 Word 1 Word 2 Word 1 Word 2 END Energy ENERGY English German French Spanish Other ENTRY Enter a word along the language of "Language (2nd)" column	🎇 110 = Part Name Selection	Sth	Browse Delete
Word 1 Word 2 Word 1 Canguage for display Language for display Language (act) C English German French Spanish Other Language (2nd) Control (2nd) Co	Find	6th	Browse Delete
Word 1 END ENERGY ENGINE ENTRY Enter a word along the language of "Language (2nd)" column		7th	Browse Delete
Word 1 END ENERGY ENGINE ENTRY Enter a word along the language of "Language (2nd)" column	Word 1 UEN Word 2	Sth	Browse Delete
De statem	END ENERGY ENGINE ENTRY Enter a word along the language of "Language (2nd)" column	Language (1st) C English C German C French Language (2nd)	

11. List for models included in the three versions, January 2013 issue

		LH,RH	
	B14	LEGACY	
	G13	IMPREZA (GJ)	
	G22	IMPREZA (GR,GV)	
	G23	IMPREZA (GP)	
Version	G33	XV (VIN:JF1,2)	
	G43	XV (VIN:PLP)	
A-1	S12	FORESTER	
	S13	FORESTER	
	W10	TRIBECA	
	Y10	EXIGA	
	Z10	BRZ	
	B11	LEGACY	
	B12	LEGACY	
	B13	LEGACY	
	C12	SVX	
Version	D11	E12	
A-2	G10	IMPREZA	
A-2	G11	IMPREZA	
	G12	IMPREZA (GE,GH)	
	R13	VIVIO	
	S10	FORESTER	
	S11	FORESTER	
	A10	L SERIES	
	B10	LEGACY	
	C11	SVX	
Version	D10	E SERIES	
В	J10	J SERIES	
	R10	M70&M60	
	R11	M80	
	R12	VIVIO	

The version A-1 will have more models for the future.

We will notice the additional models through SUBARU-FAST2 News.

As new models will be added to the Version A-1, when data volume exceed its given capacity, data for certain models will be transferred to the Version A-2.

In this case, you will be informed by a SUBARU-FAST2 News.

Issued by FUJI HEAVY INDUSTRIES LTD. Printed in Japan January 2013

Windows, Windows95, Windows3.1 and MS-DOS are either registered trademarks or trademarks of Microsoft corporation in the United States and/or other countries.